CHEVROLET PRISONER EXPRESS VAN

GMFLEET.COM

2016

# EXPRESS VAN CARGO

Shown with aftermarket equipment

Shown with aftermarket equipment, always use safety belts when seated

# UPDATES FOR 2016

## NEW AVAILABLE FEATURES

- Isolated Auxiliary Battery (TP2)
- 220 Amp Alternator (KW5)
- Front Instrument Panel Routing Grommet (RGI)
- Chevrolet MyLink Radio with Navigation (UI8)
- Rear Vision Camera Display in Rearview Mirror (DRJ)
- Outside Heated Power-Adjustable Mirrors with single pane glass (DEB)

NOTE: This vehicle is not designed nor intended for use in high speed emergency vehicle operations.
Model CG23405 RWD Regular Wheelbase 2500 Series, CG23705 RWD Extended Wheelbase 2500 Series,
Model CG33405 RWD Regular Wheelbase 3500 Series, CG33705 RWD Extended Wheelbase 3500 Series,

## STANDARD INTERIOR FEATURES ON EXPRESS PRISONER VAN-1WT/1SD

| | |
|---|---|
| AIR CONDITIONING | Single-zone, manual |
| ASSIST HANDLE | Driver and front passenger |
| CARGO TIE DOWNS | 6 D-ring attachments on cargo floor |
| CONSOLE | Engine cover with open storage bin |
| CONVENIENCE PACKAGE | Includes power windows and (AU3) power door locks. NOTE: Does not include (ATG) Remote Keyless Entry. Remote Keyless Entry (ATG) must be ordered separately. |
| CUP HOLDERS | Three on engine console cover |
| DEFOGGER | Front and side windows |
| DRIVE INFO. CENTER | Includes fuel range, average speed, oil life, tire pressure monitoring, fuel used, ice warning, engine hours, average fuel economy, tachometer, and maintenance reminders. Compass and outside temperature available if equipped. When (FHZ) Dedicated Compressed Natural Gas (CNG) system is ordered, includes average speed, oil life, tire pressure monitoring, ice warning, engine hours, tachometer and maintenance reminders. Compass and outside temperature available if equipped. |
| FLOOR COVERING | Full-length Black rubberized-vinyl |
| HEADLINER | Cloth over driver and passenger |
| LIGHTING | Interior with 4 dome lights, 1 overhead and 3 LED's on cross members in cargo area, includes defeat switch and door handle-activated switches. |
| MIRROR | Inside rearview manual day/night |
| POWER OUTLETS | Two auxiliary on engine console with cover 12-volt and 120-volt power outlet |
| RADIO | AM/FM stereo with MP3 player, seek-and-scan, digital clock and 2 front door speakers |
| RESTRAINT SYSTEM[2] | Airbags, frontal, driver and right front passenger, side curtain, seat-mounted thorax and knee bolsters, driver and right front passenger. Includes passenger-side airbag deactivation switch. Not available with (ZX1) driver only high-back bucket seat. |
| SEATS, FRONT | Seating arrangement, driver and front passenger high-back buckets, with head restraints and vinyl or cloth trim. |
| SPEEDOMETER/CLUSTER | Analog with speedometer, odometer, trip odometer, fuel level, volt meter, engine temperature and oil pressure |
| THEFT DETERRENT | Vehicle theft PASS-Key® III |
| VISORS | Driver and front passenger, Cloth, Padded |
| WARNING TONES | Headlamp on and key-in-ignition |

1. Visit onstar.com for coverage map, details and system limitations. OnStar acts as a link to existing emergency service providers.
2. Always use safety belts and the correct child restraint for your child's age and size, even in vehicles equipped with airbags. Even in vehicles equipped with Passenger Sensing System, children are safer when properly secured in a rear seat in an appropriate infant, child or booster seat. Never place a rear-facing infant restraint in the front seat of any vehicle equipped with an active frontal airbag. See your vehicle Owner Manual and child safety seat instructions for more information.

## STANDARD EXTERIOR FEATURES ON EXPRESS PRISONER VAN-1WT/1SD

| | |
|---|---|
| BUMPER, FRONT | Painted, Black. Deleted when (V37) front and rear chrome bumpers is ordered. |
| BUMPER, REAR | Painted, Black with step pad. Deleted when (V37) front and rear chrome bumpers is ordered. |
| DEFOGGER | Side windows |
| DOOR | Swing-out passenger-side, 60-40 split |
| DOOR LOCKS | Power |
| GLASS | Solar-Ray light-tinted, all windows. |
| GLASS BODY PACKAGE | Glass, full-body window package. Includes (A18) swing-out rear cargo door window glass and (A19) swing-out side door window glass. |
| GRILLE | Black composite with single rectangular halogen headlamps |
| HEADLAMPS | Single halogen. Includes Day time running lamps. Altering headlamp assembly is not recommended, General Motors is not responsible for the effects of any modifications. |
| LICENSE PLATE KIT | Front |
| MIRRORS | Outside, rearview, manual, Black |
| TRIM PANELS | Hinged rear side doors and hinged rear doors |
| WINDOWS | Power |
| WINDSHIELD WIPERS | Intermittent wet-arm with pulse washers |

## STANDARD CHASSIS FEATURES ON EXPRESS PRISONER VAN-1WT/1SD

| | |
|---|---|
| ALTERNATOR | 105 amps. 145 amp is standard when (C69) rear air conditioning is ordered. |
| AXLE | 3.42 Axle ratio (3.54 standard Axle ratio with Duramax diesel engine) |
| BATTERY | 600 cold-cranking amps, maintenance-free with rundown protection and retained accessory power. (Dual heavy-duty 770 cold-cranking amps, maintenance-free with rundown protection and retained accessory power standard with Duramax diesel engine) |
| BRAKES | 4-wheel antilock, 4-wheel disc |
| ENGINE | Vortec V8, 4.8L with SFI. Includes external engine oil cooler. For engine availability and engine specifications see powertrain |
| EXHAUST | Aluminized stainless-steel muffler and tailpipe |
| FUEL TANK CAPACITY | 31 gallon (117.3 liters) |
| GVWR | 8600 lbs. (3901 kg) Standard on CG23405 or CG234705 model. 9600 lbs. (4354 kg) Standard on CG33405 or CG33705 models. 9900 lbs. (4490 kg) Standard on CG33706 Models. |
| MONITOR | Oil life |
| TRANS. OIL COOLER | External, included and only available with (L20) Vortec 4.8L V8 SFI engine or (L96) Vortec 6.0L V8 SFI FlexFuel engine. |
| STABILITRAK | Traction assistance and vehicle stability enhancement system |
| STEERING | Power |
| SUSPENSION, FRONT | Independent with coil spring and stabilizer bar |
| SUSPENSION, REAR | Hypoid drive axle with multi-leaf springs |
| TIRES | LT245/75R16E all-seasonal, blackwall, with full size spare tire (Spare tire located at rear underbody of vehicle). |
| TIRE PRESSURE MONITOR | Does not apply to spare tire |
| TOW/HAUL MODE | Tow/haul mode selector mounted on instrument panel |
| TRANSMISSION | 6-speed automatic, heavy-duty, electronically controlled with overdrive and tow/haul mode and internal transmission oil cooler |
| WARRANTY | See warranty and maintenance section for information |
| WHEELS | Steel, 16 inch x 6.5 inch, includes Gray center caps and steel spare |

## AVAILABLE EXTERIOR COLORS *Actual colors may vary*

| GAN | G7J | GBV | GWX | GBA | GAZ | G7C | 86U |
|---|---|---|---|---|---|---|---|
| *Silver Ice Metallic | *** Rainforest Green Metallic | *Cyber Gray Metallic | *Brownstone Metallic | **Black | Summit White | **Red Hot | **Wheatland Yellow |

*Additional charge ** Not available with B46 rear body-colored trim *** Additional Charge Not available with (B46) rear body-colered halo trim Actual colors may vary

## SEO PAINT AVAILABLE

| COLOR DESCRIPTION | SEO CODE | WA# |
|---|---|---|
| Yellow | – | 215D |
| Yellow | – | 259L |
| Blue | – | 451N |
| Blue | – | 5665 |
| Petro Blue | – | 527Y |
| Yellow | – | 478G |
| Dark Blue Metallic | – | 722J |
| Sheer Silver Metallic | – | 726S |
| Bronzemist | – | 529F |
| Yellow | – | 5456 |
| Green | – | 7927 |
| Silver Metallic | – | 8867 |
| Woodland Green | 9V5 | 9015 |
| Doeskin Tan | 9V9 | 9403 |
| Yellow | – | 9414 |
| Tangier Orange | 9W4 | 9417 |
| Inca Gold | – | 7952 |
| Dark Toreador Red | – | 257C |
| Silver Birch Metallic | – | 926L |
| Victory Red | – | 9260 |

Actual Color May Vary

NOTE:
- SEO paint orders that contain less than five vehicles will be delayed until five unit minimum is received for batch production
- Exterior SEO solid paints are not available with (B46) Trim, rear body-colored halo.
- All extraneous body components formerly color-keyed to body color, will be flat Black.

## SEATS

| | FRONT SEAT TYPE | SEAT CODE | SEAT TRIM | COLOR | COLOR CODE |
|---|---|---|---|---|---|
| Standard | Front bucket with vinyl trim and outboard head restraints, includes inboard armrests. | AR7 | Vinyl | Medium Pewter<br>Neutral | 93W<br>52W |

***NOTE: For optional front seat and rear seat availability see Interior optional equipment pages.***

# OPTIONAL EQUIPMENT & FEATURES

## INTERIOR

| | |
|---|---|
| AJ3 | **AIRBAG** - frontal, driver-side only (deletes passenger-side). Included and only available with (ZX1) driver-only high-back bucket seat. Not available with (ZX2) driver and front passenger high-back bucket seats. NOTE: Passenger seat is removed when ordered. See the Owner's Manual for more information. |
| C69 | **AIR CONDITIONING, REAR** - Includes (C36) rear heater and (KG3) 145-amp alternator. Included with (ZP6) Express Crew Van Package when ordered with CG23705 or CG33705 models. Not available with (FHZ) Dedicated Compressed Natural Gas (CNG) system. Requires (K08) fuel-operated auxiliary heat generator. Includes (C36) rear heater and (KG3) 145-amp alternator. Included with (ZP6) Express Crew Van Package when ordered with CG23705 or CG33705 models. |
| R6G | **AIR CONDITIONING DELETE** - Not available with (YF2) Ambulance Package or (DE5) outside heated, power-adjustable Black mirrors. |
| U18 | **AUDIO SYSTEM** - Chevrolet MyLink radio with Navigation, 6.5" diagonal color touch-screen display, AM/FM stereo with CD player, includes Bluetooth streaming audio for music and select phones; Hands-Free smartphone integration with Pandora and Stitcher; voice-activated technology for radio and phone. Not available with (U2K) SiriusXM Satellite Radio |
| US8 | **AUDIO SYSTEM** - AM/FM stereo with CD/MP3 player, Seek-and-scan, digital clock, auto-tone control, Radio Data System (RDS), TheftLock, random select, auxiliary jack, 2 front door speakers, 2 rear door speakers, and 2 in the sound bar. |
| U0H | **AUDIO SYSTEM** - AM/FM stereo with MP3 player and USB port, includes seek-and-scan, digital clock, TheftLock, random select, auxiliary jack and 2 front door speakers. Not available with (NP5) leather wrapped steering wheel. |
| UYS | **AUDIO SYSTEM WITH NAVIGATION** - AM/FM stereo with MP3 compatible CD/DVD player and navigation, USB port, seek-and-scan, digital clock, auto-tone control, Radio Data System (RDS), speed-compensated volume and TheftLock. Requires (UE1) OnStar. |
| UXZ | **AUDIO SYSTEM**, Radio provisions only. Includes alarm warning chimes, radio wiring harness, radio antenna and 2 front door speakers |
| U18 | **AUDIO SYSTEM**, AM/FM stereo with CD/MP3 player, seek-and-scan, digital clock, auto-tone control, Radio Data System (RDS), auxiliary jacks and 2 front door speakers |
| K5Z | **AUXILIARY BATTERY TRAY** - Requires (L20) Vortec 4.8L V8 SFI FlexFuel[2] engine or (L96) Vortec 6.0L V8 SFI FlexFuel engine. |
| UPF | **BLUETOOTH FOR PHONE**[1] - Requires (NP5) leather-wrapped steering wheel, (W1Y) steering wheel controls and (ZQ3) Convenience Package. Included with (UI8) Chevrolet MyLink radio with Navigation. With (U0F) AM/FM stereo with MP3 player, (U0H) AM/FM stereo with MP3 player and USB port or (US8) AM/FM stereo with MP3 compatible CD player requires (UE1) OnStar hardware (subscription to OnStar services not required for operation). NOTE: With (UI8) Chevrolet MyLink radio with Navigation (UE1) OnStar hardware is not required. |
| VLW | **BULKHEAD DIVIDER**, With door. Not available with (VLP) Bulkhead divider (R7T/R7Q) commercial customer bin,GM Business Choice Upfit, (PRP) Express Access or (ZP6) Express Crew Van Package |
| U80 | **COMPASS** - 8-point digital located in the Driver Information Center, included and only available with C69 rear air conditioning. |
| BA3 | **CONSOLE** - Deluxe with swing-out storage bin. Included and only available with (AS5) front bucket seats with custom cloth. |
| ZQ3 | **CONVENIENCE PACKAGE** - Tilt-wheel and cruise control |
| K34 | **CRUISE CONTROL** - Included and only available with ZQ3 Convenience Package, tilt-wheel and cruise control. |
| RFM | **FLOOR COVERING DELETE**, Rear Floor covering, Black rubberized-vinyl, front only (deletes rear covering behind front seat). Included and only available with (RFM) Rear floor covering delete. |
| C36 | **HEATER, REAR AUXILIARY** - Included with (C69) rear air conditioning. Not available with (FHZ) Dedicated Compressed Natural Gas (CNG) system. Included with (C69) rear air conditioning. Requires (K08) auxiliary heat generator when ordered with (LGH) Duramax 6.6L Turbo Diesel V8 Engine. |
| UF3 | **HIGH IDLE SWITCH** - Requires (L96) Vortec 6.0L V8 SFI FlexFuel engine or (LC8) Gaseous 6.0L V8 SFI engine and (ZQ3) Convenience Package. Requires (ZQ3) Convenience Package. |
| 5A1 | **HVAC PROVISIONS,** Rear A/C Control Head Kit with rear air conditioning control head, retainer and bezel. Designed for installation after upfit is completed. Shipped loose. Requires RPO (C69) rear air conditioning and RPO (C36) rear auxiliary heater. Not Available with RPO (PCH) Hotel Shuttle Package, (5BV) upfitter electrical provisions. |
| UF2 | **LIGHTING** - Express Access Enhanced Lighting Package, includes 3 access panel lights and 2 interior roof-mounted lights in cargo area. Requires (PRP) Express Access. Not available on Extended Wheelbase models. |
| TR9 | **LIGHTING**, Auxiliary with reading and underhood lights. Includes (U80) 8-point digital compass. Included with (PCR) Express Access Plus Package or (ZP6) Express Crew Van Package when ordered with CG23705 or CG33705 models. |
| D31 | **MIRROR** - Inside rearview manual day/night. Available with (UVC) Rear Vision Camera only when (U18) Chevrolet MyLink radio with Navigation is ordered. |
| DRJ | **MIRROR** - Inside rearview, includes Rear Vision Camera display. Not available with (UI8) Navigation radio or (UXZ) radio provision. |

1. Go to gm.com/bluetooth to find out which Bluetooth phones are compatible with the vehicle.
2. E85 is 85% ethanol and 15% gasoline.

# OPTIONAL EQUIPMENT & FEATURES

## INTERIOR CONTINUED

| | |
|---|---|
| MTM | **MIRROR** - Windshield mirror mounting bracket Provides the windshield rearview mirror mounting bracket only, no mirror. Not available with (D31) inside rearview manual day/night mirror |
| UBS | **NAVTRAFFIC**, Avoid congestion before you reach it by enhancing your vehicle's navigation or entertainment system with NavTraffic. With detailed information on traffic speed, accidents, construction, road closures and more, you will get to your destination faster and more easily than ever before. Included and only available with (UI8) Chevrolet MyLink radio with navigation. SiriusXM Satellite Radio and NavTraffic subscriptions are sold separately or as a package after trial period. If you decide to continue service after your trial, the subscription plan you choose will automatically renew thereafter and you will be charged according to your chosen payment method at then-current rates. Fees and taxes apply. To cancel you must call us at 1-866-635-2349. See our Customer Agreement for complete terms at www.siriusxm.com. All fees and programming subject to change. NavTraffic available only in select markets. For more information, see ww.siriusxm.com/navtraffic. |
| ROV | **ONSTAR** – With 4G LTE for Fleet (12GB/12 months) provides a built-in Wi-Fi hotspot to connect to the internet at 4G LTE speeds, includes AT&T 12GB data plan good for 12 months. Requires (UE1) OnStar and (VV4) OnStar with 4G LTE and one of the following order types FLS, FNR, FRC, FBC, FGO or FEF. Not available with ROW. Visit www.onstar.com for vehicle availability, details and system limitations. Services and connectivity may vary by model and conditions. 4G LTE service available in select markets. 4G LTE performance based on industry averages and vehicle systems design. Some services require data plan. |
| ROW | **ONSTAR** - With 4G LTE for Fleet (24GB/24 months) provides a built-in Wi-Fi hotspot to connect to the internet at 4G LTE speeds, includes AT&T 24GB data plan good for 24 months. Requires (UE1) OnStar and (VV4) OnStar with 4G LTE and one of the following order types: FLS, FNR, FRC, FBC, FGO or FEF. Not available with ROV. Visit www.onstar.com for vehicle availability, details and system limitations. Services and connectivity may vary by model and conditions. 4G LTE service available in select markets. 4G LTE performance based on industry averages and vehicle systems design. Some services require data plan. |
| UE1 | **ONSTAR GUIDANCE** - Guidance Plan for 6 months, including Automatic Crash Response, Stolen Vehicle Assistance, Roadside Assistance, Turn-by-Turn Navigation, Advanced Diagnostics and more (trial excludes Hands-Free Calling). Requires (U0F) AM/FM stereo with MP3 player, (U0H) AM/FM stereo with MP3 player and USB port, (US8) AM/FM stereo with CD/MP3 player or (UI8) Chevrolet MyLink radio with Navigation. Not available with (UXZ) radio provisions only, Included on (FDR) Fleet Daily Rental order types. Visit www.onstar.com for coverage map, details and system limitations. Services may vary by model and conditions. |
| UFA | **OUTSIDE TEMPERATURE DISPLAY** - Located in the Driver Information Center. Requires (ZR7) Chrome Appearance Package. |
| RG1 | **ROUTING GROMMET** - Front of instrument panel. Provides an area for putting wires thru the front of dash. Not available with RPO (9L7) 2-30 amp wire leads. |
| 8N2 | **SAFETY BELTS**, Orange belts, Orange, Provides high visibility front Orange safety belts in lieu of Dark Pewter. Requires (93G) Medium Pewter Custom Cloth or (93W) Custom Vinyl. Not available with SEO (5B2) Red safety belts. |
| 5B2 | **SAFETY BELTS**, Red belts, Provides high visibility front Red seat belts in lieu of Dark Pewter. Requires Medium Pewter RPO (93G) Custom Cloth or (93W) Custom Vinyl trim code. Not available with SEO (8N2) Orange safety belts. |
| AG1 | **SEAT ADJUSTER** - Driver 6-way power. Requires (AS5) front bucket with Custom Cloth trim. |
| AS5 | **SEATS** - Front bucket with Custom Cloth trim, head restraints and inboard armrests. Requires (52G) Neutral or (93G) Medium Pewter interior trim. Includes (BA3) console with swing-out storage bin. |
| ZP6 | **SEATING ARRANGEMENT** - 5-passenger, Express Crew Van Package, Includes (AK5) driver and right-front passenger airbags, (B38) full-length Black rubberized-vinyl floor covering, (ZW6) fixed full-body window package glass, (ASF) head/side-curtain air bags and (93W/93G) Medium Pewter interior. Includes (C69) rear air conditioning and (TR9) auxiliary lighting when ordered with CG23705 or CG33705 models. Not available with (RFM) rear floor covering delete, (5L3) side and rear cargo door panel trim sides, (VLP) Bulkhead divider, LPO, (VLW) Bulkhead divider with door, LPO or (5C6) cargo tie-downs. Not available with (LC8) 6.0L V8 SFI gaseous engine on CG23705 and CG33705 models. |
| ZX1 | **SEATING ARRANGEMENT** - Driver-only high-back bucket, adjustable, includes head restraint and vinyl or cloth trim. Deletes passenger-side airbag, seat and safety belt. Components cannot be added back later. Includes (AJ3) driver-side only frontal airbag. Deletes passenger-side airbag, seat and safety belt. Components cannot be added back later. Includes (AJ3) driver-side only frontal airbag. |
| U2K | **SIRIUSXM SATELLITE RADIO** - Enjoy a 3-month All Access trial subscription with over 150 channels including commercial-free music, plus sports, news and entertainment. Plus you can listen to SiriusXM Internet Radio everywhere on your computer, smartphone or tablet. Welcome to the world of SiriusXM. Included and only available with the combination of (UE1) OnStar and (US8) AM/FM stereo with MP3 compatible CD player or (UYS) AM/FM stereo with MP3 package is not provided on vehicles that are ordered for Fleet Daily Rental ("FDR") use. If you decide to continue listening after your trial, the subscription plan you choose will automatically renew and you will be charged according to your chosen payment method at then-current rates. Fees and taxes apply. To cancel you must call us at 1-866-635-2349. See our Customer Agreement for complete terms at www.siriusxm.com. All fees and programming subject to change. |
| DT4 | **SMOKER'S PACKAGE** - Includes ash tray and lighter |
| 9J6 | **STEERING COLUMN,** Tilt Steering column without cruise control. Not available with RPO (ZQ3) Convenience Package, RPO (K34) cruse control, RPO (UF3) high idle switch. |
| NP5 | **STEERING WHEEL** - Leather-wrapped, Requires (ZQ3) Convenience Package and (U0F) AM/FM stereo with MP3 player, (U0H) AM/FM stereo with MP3 player and USB port, (US8) AM/FM stereo with CD/MP3 player or (UI8) Chevrolet MyLink radio with Navigation. |
| 5A2 | **SUNSHADE** - Vanity inside mirrors with passenger side mirror illumination Provides passenger illuminated vanity mirror with driver non-illuminated mirror. Requires (AK5) air bags, frontal driver and right-front passenger, (TR9) Auxiliary lighting and (E24) swing-out passenger-side door. Not available with (UE1) OnStar, Guidance plan for 6 months, (ASF) head/side-curtain air bags, (C69) rear air conditioning, (DAA) driver and front passenger vinyl visors, (ZX1) seating arrangement, driver-only high-back bucket, adjustable, includes head restraint and vinyl or cloth trim, (ZP6) seating arrangement, 5-passenger(LGH) Duramax 6.6L Turbo Diesel V8 engine or (LC8) 6.0L V8 SFI Gaseous engine. |

# OPTIONAL EQUIPMENT & FEATURES

## INTERIOR CONTINUED

| | |
|---|---|
| 5P9 | **TRIM PANEL**, Side and rear cargo doors. Base level passenger van interior trim panels for the side and rear cargo doors of a 2500 and 3500 cargo van. Trim panels are shipped loose for installation later. Requires (93G) Medium Pewter Custom Cloth or (93W) Custom Vinyl, RPO (E24) swing-out, passenger-side door, RPO (A19) swing-out rear cargo door window glass and RPO (ZW3) rear doors and side cargo doors fixed glass. Not available with RPO (YA2) sliding passenger-side door, RPO (R6S) rear side and rear doors trim panel delete, RPO (PNC) door trim panel package, RPO (PPC) door trim panel package, (5BV) upfitter electrical provisions or SEO (5L3) side and rear cargo door panel trim. |
| 5L3 | **TRIM PANEL,** Side and rear cargo door.Base level passenger van interior panels and trim on the sides, side cargo doors and rear doors of a cargo van. Includes full vinyl floor covering. Does not include rear headliner. Requires (93G) Medium Pewter Custom Cloth or (93W) Custom Vinyl, RPO (A18) swing-out rear door windows, RPO (A19) swing-out rear side door, rear door window glass and RPO (ZW6) fixed full-body window package glass. Not available with RPO (YA2) sliding passenger-side door, RPO (R6S) rear side and rear doors trim panel delete, RPO (B31) Black rubberized-vinyl floor covering, RPO (PCH) Hotel Shuttle Package, SEO (5BV) upfitter electrical provisions, SEO (5P9) side and rear cargo door panel trim or RPO (ASF) head curtain side-impact air bags. |
| R6S | **TRIM PANEL DELETE**, Rear side and rear doors |
| DAA | **VISORS** - Driver and front passenger, vinyl in lieu of standard cloth |
| R8J | **WINDOWS** - Power, delete. Deletes power windows from the (ZQ2) Convenience Package. (AU3) Power door locks remain. Not available with (DE5) outside heated power-adjustable, Black mirrors. |

## EXTERIOR

| | |
|---|---|
| G7K | **ANTENNA EQUIPMENT** - Includes additional antenna, cable and ground plate. Provides additional ability to relocate standard OnStar antenna, cable length 25 ft. Ships loose. Requires (UE1) OnStar. |
| V37 | **BUMPERS** - Front and rear chrome with step pad (included with ZR7 Chrome Appearance Package) |
| VLW | **BULKHEAD DIVIDER WITH DOOR** - Not available with (VLP) Bulkhead divider, LPO, (R7T/R7Q) commercial customer bin GM Business Choice Upfit, (PRP) Express Access or (ZP6) Express Crew Van Package. |
| VLP | **BULKHEAD DIVIDER** - Not available with (VLW) Bulkhead divider with door, LPO, (R7T/R7Q) commercial customer bin GM Business Choice Upfit, (PRP) Express Access or (ZP6) Express Crew Van Package. |
| ZR7 | **CHROME APPEARANCE PACKAGE** - Includes V37 front and rear chrome bumpers with step-pad and V22 chrome grille with dual composite halogen headlamps |
| C49 | **DEFOGGER** - Rear-window electric. Requires (A18) rear cargo door windows swing-out glass and (AJ1) Solar-Ray deep-tinted glass on non-(YF2) Ambulance Package models. Not available with (R6G) air conditioning delete. |
| YA2 | **DOOR** - Sliding passenger, side (includes trim panel standard on sliding door only) |
| PCR | **EXPRESS ACCESS PLUS PACKAGE** - Requires (PRP) Express Access. Includes (UF2) Express Access Enhanced Lighting Package, (ZR7) Chrome Appearance Package, (P03) chrome center cap wheel trim. (TR9) auxiliary lighting and (DE5) outside heated, power-adjustable Black mirrors. |
| PRP | **EXPRESS ACCESS** - Includes 3 remote release side-access panels. Includes (BTV) remote vehicle starter, and (ATG) remote keyless entry. Requires CG23405 and CG33405 models and (50U) Summit White. Requires (TBM) Ship Thru, produced in Wentzville and shipped to Adrian Steel or (VDU) Ship Thru, produced in Wentzville and shipped to Adrian Steel. Will include (R7Q) GM Business Choice Upfit, commercial customer bin when ordered with (T**) stock order types only (except TSC order type). If desired, (R7Q) GM Business Choice Upfit, commercial customer bin must be ordered with all other order types. Not available with (UYS) audio system with navigation, (C36) rear heater, (C69) rear air conditioning, (R6G) air conditioning delete, (ZW4) rear doors, side cargo door and rear passenger-side quarter fixed glass, (ZW6) full body window package fixed glass, (YA2) sliding passenger-side door or (YF2) Ambulance Package. Includes (ZQ2) Convenience Package, (BTV) remote vehicle starter, and (ATG) remote keyless entry. Requires CG23405 and CG33405 models and (50U) Summit White. Requires (TBM) Ship Thru, produced in Wentzville and shipped to Adrian Steel. Will include (R7Q) GM Business Choice Upfit, commercial customer bin when ordered with (T**) stock order types only (except TSC order type). If desired, (R7Q) GM Business Choice Upfit, commercial customer bin must be ordered with all other order types. Not available with (UYS) audio system with navigation, (C36) rear heater, (C69) rear air conditioning, (R6G) air conditioning delete, (ZW4) rear doors, side cargo door and rear passenger-side quarter fixed glass, (ZW6) full body window package fixed glass, (YA2) sliding passenger-side door or (YF2) Ambulance Package. Not available with (UE1) OnStar. |
| ZW1 | **GLASS**, Fixed right side cargo door. Requires (E24) swing-out passenger-side door or (YA2) sliding passenger-side door. You may upgrade fixed glass to (A19) swing-out glass. Not available with (A12) fixed rear doors window glass, (A18) swing-out rear cargo door windows glass. |
| ZW6 | **GLASS, FIXED FULL-BODY WINDOW PACKAGE** - May upgrade fixed glass to swing-out glass, see (A18) rear cargo door windows swing-out glass. Upgrade requires (A19) rear side door and rear door window swing-out glass. Included with (ZP6) 5-passenger Express Crew Van Package. |

# OPTIONAL EQUIPMENT & FEATURES

## EXTERIOR CONTINUED

| | |
|---|---|
| ZW3 | **GLASS, FIXED REAR DOORS AND SIDE CARGO DOORS** - May upgrade fixed glass to swing-out glass, see (A18) rear cargo door windows swing-out glass. Upgrade requires (A19) rear side door and rear door window swing-out glass. Included with (PCH) Hotel Shuttle Package. May upgrade fixed glass to swing-out glass, see (A18) rear cargo door windows swing-out glass. Upgrade requires (A19) rear side door and rear door window swing-out glass. |
| ZW4 | **GLASS, FIXED REAR DOORS, SIDE CARGO DOOR AND REAR PASSENGER-SIDE QUARTER** - May upgrade fixed glass to swing-out glass, see (A18) rear cargo door windows swing-out glass. Upgrade requires (A19) rear side door and rear door window swing-out glass. Not available with (PCH) Hotel Shuttle Package. May upgrade fixed glass to swing-out glass, see (A18) rear cargo door windows swing-out glass. Upgrade requires (A19) rear side door and rear door window swing-out glass. |
| ZW2 | **GLASS, FIXED REAR DOORS** - May upgrade fixed glass to swing-out glass, see (A18) rear cargo door windows swing-out glass. Not available with (PCH) Hotel Shuttle Package. May upgrade fixed glass to swing-out glass, see (A18) rear cargo door windows swing-out glass. |
| AJ1 | **GLASS, SOLAR-RAY DEEP-TINTED** - All windows except light-tinted glass on windshield and driver- and front passenger-side glass. Requires (A19) rear side door and rear door window swing-out glass or (A18) rear cargo door windows swing-out glass. Included with (PCH) Hotel Shuttle Package. Requires (A19) rear side door and rear door window swing-out glass or (A18) rear cargo door windows swing-out glass. |
| A18 | **GLASS, SWING-OUT REAR CARGO DOOR WINDOWS** - Requires (ZW2) rear doors fixed glass. Requires (A19) rear side door and rear door window swing-out glass when ordered with (ZW3) rear doors and side cargo doors fixed glass, (ZW4) rear doors, side cargo door and rear passenger side quarter fixed glass or (ZW6) full body window package fixed glass. Included with (PCH) Hotel Shuttle Package. Not available with (YF2) Ambulance Package. Requires (ZW2) rear doors fixed glass. Requires (A19) rear side door and rear door window swing-out glass when ordered with (ZW3) rear doors and side cargo doors fixed glass, (ZW4) rear doors, side cargo door and rear passenger side quarter fixed glass or (ZW6) full body window package fixed glass. Not available with (YF2) Ambulance Package. |
| A19 | **GLASS, SWING-OUT REAR SIDE DOOR AND REAR DOOR WINDOW** - Requires (A18) rear cargo door windows, swing-out glass and (ZW3) rear doors and side cargo door fixed glass, (ZW4) rear doors, side cargo door and rear passenger-side quarter fixed glass or (ZW6) full body window package fixed glass. Not available with (YF2) Ambulance Package. Included with (PCH) Hotel Shuttle Package. Requires (A18) rear cargo door windows, swing-out glass and (ZW3) rear doors and side cargo door fixed glass, (ZW4) rear doors, side cargo door and rear passenger-side quarter fixed glass or (ZW6) full body window package fixed glass. Not available with (YF2) Ambulance Package. |
| V22 | **GRILLE** - Chrome with dual composite halogen headlamps (included and only available with ZR7 Chrome Appearance Package) |
| U05 | **HORN** - Dual-note high and low |
| 5Z5 | **HUBCAP DELETE** - Deletes gray center caps from standard wheels 1 - Not available with RPO (P03) wheel trim chrome center cap. |
| 5X8 | **KEY** - unique side cargo and rear door Unique key for side and rear cargo doors, separate from driver ignition and door key. 1 - Not available with RPO (5H1) key equipment. |
| 5H1 | **KEY EQUIPMENT** - Two additional keys for single key system. Provides two additional spare keys for a total of (4). (Keys will be cut but not programmed). NOTE: programming of keys is at customer's expense. Programming keys is not a warranty expense. Not available with SEO (5X8) side cargo and rear door key. |
| 8X1 | **LABEL** - fasten safety belts "Fasten Safety Belts" reminder label on front driver and passenger door window glass |
| TR9 | **LIGHTING** - Includes reading and underhood lights (U80) 8-point digital compass. Included with (PCR) Express Access Plus Package or (ZP6) Express Crew Van Package when ordered with CG23705 or CG33705 models. |
| 9F2 | **MIRROR**, Delete outside. Deletes right and left hand outside rearview mirrors that are standard. Includes incomplete vehicle document. Requires models *G23405, *G33405 or *G33705. Includes (VXT) incomplete vehicle certification. Not available with RPO (PDN) Power Package or RPO (PCR) Express Access Plus Package. |
| DEB | **MIRRORS** - Outside heated power-adjustable, Black, manual-folding with single pane glass. Not available with (R6G) air conditioning delete or (R8J) power window delete. |
| DE5 | **MIRRORS** - Outside heated power-adjustable, Black, manual-folding Included with (PCR) Express Access Plus Package. Not available with (R6G) air conditioning delete or (R8J) power window delete. Not available with (R6G) air conditioning delete or (R8J) power window delete. |
| VXW | **MOLDED ASSIST STEPS** - Dealer Installed |
| 5H3 | **ORNAMENTATION** - Exterior Delete Deletes all exterior ornamentation on rear doors |
| UFA | **OUTSIDE TEMPERATURE DISPLAY**, Located in the Driver Information Center. Requires (ZR7) Chrome Appearance Package.Code Description. Equipment groups 1WT and 1SD available on CG23405, CG23705, CG33405 and CG33705 Models. Work Van 1WT1 Diesel 1SD. |
| TGK | **PAINT, SPECIAL** - Solid, one color All normally body colored non-sheet metal parts will be flat Black. 1 - Required with any SEO paint selection. Not available with RPO (B46) rear body-colored halo trim. May require extended lead time. |
| 9V9 | **PAINTS, SOLID, DOESKIN TAN** - All extraneous body components formerly color-keyed to body color, will be flat Black with SEO paint Requires SEO (TGK) Solid paint, one color. Not available with RPO (B46) rear body-colored halo trim. May require extended lead time. |
| 9W4 | **PAINTS, SOLID, TANGIER ORANGE** - All extraneous body components formerly color-keyed to body color, will be flat Black with SEO paint Requires SEO (TGK) Solid paint, one color. Not available with RPO (B46) rear body-colored halo trim. May require extended lead time. |
| 9V5 | **PAINTS, SOLID, WOODLAND GREEN** - All extraneous body components formerly color-keyed to body color, will be flat Black with SEO paint Requires SEO (TGK) Solid paint, one color. Not available with RPO (B46) rear body-colored halo trim. May require extended lead time. |
| E48 | **RADIATOR GRILLE COVER** - Requires (LGH) Duramax 6.6L V8 Turbo Diesel engine. Ships loose in cab. Required on orders with "Ship To" locations within the following states: Maine, New Hampshire, Vermont, Minnesota, North Dakota, South Dakota, Montana, Alaska, Idaho, Wisconsin, Wyoming, Michigan, Colorado and New York. |

# OPTIONAL EQUIPMENT & FEATURES

## EXTERIOR CONTINUED

| | |
|---|---|
| 8S3 | **REAR BACKUP ALARM** - Rear frame mounted 97 decibel back-up alarm. Not available with SEO (SFW) backup alarm calibration |
| UD7 | **REAR PARK ASSIST** - Not available with (UXZ) radio provisions only. |
| UVC | **REAR VISION CAMERA** - Display integrated into rearview mirror, integrated into navigation screen when UYS AM/FM stereo with MP3 compatible CD/DVD player and navigation is ordered |
| VLL | **REMOVABLE ROOF RACK** - Not available with (VLV) Swing out ladder rack LPO. |
| ATG | **REMOTE KEYLESS ENTRY** - Includes 2 transmitters and remote panic button |
| BTV | **REMOTE VEHICLE STARTER SYSTEM**- Includes remote keyless entry, 2 transmitters. Requires (ATG) remote keyless entry |
| 5H6 | **SAFETY REFLECTOR TRIANGLE KIT** - Provides a break-down warning kit consisting of 3 reflective triangles, Item shipped loose for later placement and securing in after-market installation |
| VLU | **SECURITY SCREEN PACKAGE, WITHOUT REAR WINDOW POP-OUT** - Requires a (ZW*) fixed glass. Not available with (A18) rear cargo door windows swing-out glass |
| 5A2 | **SUNSHADE**, Vanity inside mirrors with passenger side mirror illumination Provides passenger illuminated vanity mirror with driver non-illuminated mirror. Requires RPO (TR9) Auxiliary lighting and RPO (E24) swing-out passenger-side door. Not available with RPO (UE1) OnStar, Guidance plan for 6 months, RPO (ASF) head/side-curtain air bags, RPO (C69) rear air conditioning, RPO (DAA) driver and front passenger vinyl visors, (LGH) Duramax 6.6L Turbo Diesel V8 engine or (LC8) 6.0L V8 SFI Gaseous engine. |
| VLV | **SWING OUT LADDER RACK** - Not available with (VLL) Removable roof rack LPO. |
| R6S | **TRIM PANEL DELETE** - Rear side and rear doors |
| B46 | **TRIM** - Rear body-colored halo (replaces standard Black panel located above rear cargo doors). Not available with (GBA) Black or (G7C) Red Hot, (86U) Wheatland Yellow or (TGK) SEO solid paint. These colors will receive a Black halo. |
| MTM | **WINDSHIELD MIRROR MOUNTING BRACKET**, Provides the windshield rearview mirror mounting bracket only, no mirror. Not available with RPO (D31) inside rearview manual day/night mirror. |

## ELECTRICAL

| | |
|---|---|
| UJ1 | **BRAKE WARNING INDICATOR** - Monitors brake system pressure, with loss of pressure an audible alarm (chime) and cluster telltale is lit.Not available with (YF2) Ambulance Package. |
| UY7 | **TRAILER WIRING** - 7-pin sealed connector. Included with (Z82) heavy-duty trailering equipment. |
| 5BV | **UPFITTER ELECTRICAL PROVISIONS**, 30 amp circut at C-pillar. Requires CG23405 or CG23705 model, RPO (L96) Vortec 6.0L V8 SFI FlexFuel engine, RPO (AS5) seat front bucket deluxe, RPO (B31 or BG5) floor covering, RPO (C69) air conditioning rear, RPO (DH6) visor LH/RH pass illumination sunshade, RPO (KG3) alternator 145 amp, RPO (PNC) door trim panels, RPO (TR9) auxiliary lighting, RPO (U80) compass, RPO (ZX2) Seating, Driver and Passenger, High-Back Bucket, RPO (ZQ3) tilt wheel & cruise control package, RPO (V37) chrome grille with dual composite halogen headlamps, RPO (V37) front and rear chrome bumpers with step-pad and SEO (8E1) Fuel, additional 3-gallons not available with (YA2) Door passenger side sliding, (U0F) am/fm radio stereo w/mp3 player, SEO (5L3) side and rear cargo door panel trim, SEO (9J6) tilt-steering column, SEO (5A1) provisions for rear A/C control head, SEO (9D7) 75MPD road speed governor, SEO (5A2) sunshade, SEO (8S3) back up alarm or SEO (5P9) side and rear cargo door panel trim |

# OPTIONAL EQUIPMENT & FEATURES

## CHASSIS

| | |
|---|---|
| KG3 | **ALTERNATOR, 145-AMPS** - Included with C69 rear air conditioning. |
| KW5 | **ALTERNATOR**, 220 amps |
| KD9 | **ALTERNATOR, DUAL, 145 AMPS EACH** - Requires (C60) air conditioning. |
| UA1 | **BATTERY** - Heavy-duty 770 cold-cranking amps, maintenance-free with rundown protection and retained accessory power. Not available (TP2) 600 cold-cranking amps primary battery |
| TP2 | **BATTERY** - 600 cold-cranking amps primary, isolated 2nd heavy-duty 770-cold-cranking maps, allows 2nd battery to be used when the vehicle is not running without affecting ability to start the vehicle. |
| UJ1 | **BRAKE WANING INDICATOR**, Monitors brake system pressure, with loss of pressure an audible alarm (chime) and cluster telltale is lit. |
| V10 | **COLD CLIMATE PACKAGE** - Includes (K05) engine block heater. Includes (K08) auxiliary heat generator when ordered with (LGH) Duramax 6.6L Turbo Diesel V8 engine. |
| FHZ | **DEDICATED COMPRESSED NATURAL GAS (CNG) SYSTEM** - Complete vehicle and system ready. Requires (LC8) Gaseous 6.0L V8 SFI engine, (V10) Cold Climate Package and (Z82) trailering equipment. Includes (ZX9) spare tire delete and (UFM) 3-tank configuration fuel system. |
| G80 | **DIFFERENTIAL** - Heavy-duty locking rear |
| L96 | **ENGINE** - Vortec 6.0L V8 SFI FlexFuel[2] (342 hp @ 5400 rpm, 373 lb-ft of torque @ 4400 rpm, Includes external engine oil cooler. |
| LC8 | **ENGINE** - 6.0L V8 SFI Gaseous, changed extended description to read "(282 hp [210.3 kW] @ 4800 rpm, 320 lb-ft of torque [432.0 N-m] @ 4400) with hardened valves and valve seat. Requires (FHZ) Dedicated Compressed Natural Gas (CNG) system. Includes external engine oil cooler. Not available with (ZP6) 5-passenger seating arrangement on CG23705 and CG33705 models. Not available with (TP2) 600 cold-cranking amps primary battery. |
| K05 | **ENGINE BLOCK HEATER[2]** - Included with (V10) Cold Climate Package |
| 5H5 | **FIRE EXTINGUISHER**, 2.5 lb. Dry chemical BC rated. Item shipped loose for later placement and securing in after-market installation |
| R9Y | **FLEET FREE MAINTENANCE CREDIT** - This option code provides a credit in lieu of the free oil changes, tire rotations and inspections (2 maximum), during the first 24 months and 24,000 miles period for this ordered vehicle. The invoice will detail the applicable credit. The Customer will be responsible for all oil changes, tire rotations and inspections cost for this vehicle. NOTE: Dealer is unable to credit customer on vehicles not originally ordered with (R9Y) option. |
| 8E1 | **FUEL, ADDITIONAL 3-GALLONS** - 3 gallons of fuel in addition to normal assembly plant fill |
| 7T6 | **FUEL FITTING**, For fuel line take-off. A fuel tank with a fuel take-off fitting that a body builder may utilize to attach an auxiliary engine fueling device. Requires (L20) Vortec 4.8L V8 SFI engine or (L96) Vortec 6.0L V8 SFI FlexFuel engine. Not available with (LC8) 6.0L V8 SFI Gaseous engine. |
| UFM | **FUEL TANK - 3-TANK CONFIGURATION FUEL SYSTEM**. 3-tank configuration fuel system, Requires (FHZ) Dedicated Compressed Natural Gas (CNG) system. May be upgraded to (UFP) 4-tank configuration fuel system. All three tanks are mounted under body |
| UFP | **FUEL TANK, 4-TANK CONFIGURATION FUEL SYSTEM** - Requires (FHZ) Dedicated Compressed Natural Gas (CNG) system. Three tanks mounted under body with fourth tank mounted on cargo floor beside driver's side wheel well. Replaces standard (UFM) 3-tank configuration. |
| 9C2 | **GOVERNOR** - Electronic speed sensor set to 65 MPH Electronic software to facilitate 65-MPH maximum road speed with gasoline engine Requires a Fleet order. Not available with (K34) cruise control. |
| 9B9 | **GOVERNOR**, Electronic speed sensor set to 70 MPH. Provides electronic software to limit maximum road speed to 70-MPH. Cruise control limited to 65 MPH. Requires a Fleet order type. |
| 9D7 | **GOVERNOR**, Electronic speed sensor set to 75 MPH. Provides electronic software to limit maximum road speed to 75-MPH. Cruise control limited to 70 MPH. Requires a Fleet order type. Not available with SEO (5BV) upfitter electrical provisions. |
| R7Q | **GM BUSINESS CHOICE UPFIT** - Commercial customer bin for (PRP) Express Access. Included with (PRP) Express Access on (T**) stock order types (except TSC order type). Requires (PRP) Express Access and (TBM) Ship Thru, produced in Wentzville and shipped to Adrian Steel. Not available with (FHZ) Dedicated Compressed Natural Gas (CNG) system. Included with (PRP) Express Access on (T**) stock order types (except TSC order type). Requires (PRP) Express Access and (TBM) Ship Thru, produced in Wentzville and shipped to Adrian Steel |
| RT7 | **GM BUSINESS CHOICE UPFIT** - Commercial customer bin. Not available with (PRP) Express Access or (FHZ) Dedicated Compressed Natural Gas (CNG) system. Requires (TBM) Ship-thru. Options will have an invoice note "Adrian Steel Upfit". Not available with (PRP) Express Access. Requires (TBM) Ship-thru. Options will have an invoice note "Adrian Steel Upfit". |
| K08 | **HEAT GENERATOR** - Auxiliary-fuel-operated supplemental heat source to cooling system to improve heat out put (included with V10 and LGH Duramax 6.6L turbo diesel) |
| UF3 | **HIGH IDLE SWITCH**, Requires (L96) Vortec 6.0L V8 SFI FlexFuel engine or (LC8) Gaseous 6.0L V8 SFI engine and (ZQ3) Convenience Package. Requires (ZQ3) Convenience Package. |
| 5C4 | **SPRINGS, FRONT**- High Rate Upgrade, Upfitter option. Provides computer selected high rate front springs based on the front weight of the vehicle. Intended for a upfit that requires higher center of gravity loads that are located at or near the front axle. Provides increased front spring capacity but will not change the front GVWR rating. (Replaces standard computer selected suspension). Requires models *G33405 or *G33705 and a shipment to an upfitter or body builder. |
| ZX9 | **TIRE, SPARE DELETE** - Jack is not included. Required with (FHZ) Dedicated Compressed Natural Gas (CNG) system. Jack is not included. |
| V14 | **TRANSMISSION OIL COOLER** - External. Included and only available with (L20) Vortec 4.8L V8 SFI engine or (L96) Vortec 6.0L V8 SFI FlexFuel engine. |
| Q8C | **TIRE VALVE STEM CAPS** - Air thru Air through valve caps on the tire air valves |
| Z82 | **TRAILERING EQUIPMENT** - Heavy-duty, includes trailering hitch platform and 7-pin sealed Connector, (UY7) 7-lead trailer wiring harness. Required with (FHZ) Dedicated Compressed Natural Gas (CNG) system. Includes (UY7) 7-lead trailer wiring harness. |
| 40P | **WHEEL FINISH, PAINTED WHITE** - White-painted wheels in lieu of standard Gray-painted wheels (includes spare wheel) |
| P03 | **WHEEL TRIM** - Chrome center cap |
| 5G0 | **WHEELS** - Painted Black in lieu of standard Gray painted wheels 1 - Not available with (P03) wheel trim chrome center cap. |

## POWERTRAIN

| ENGINE | | | | | TRANSMISSION | | AXLE | |
|---|---|---|---|---|---|---|---|---|
| MODEL | CODE | TYPE | DISPLACEMENT LITERS/CU. IN. | FUEL SYSTEM | STANDARD | TYPE | OPTION CODE | RATIO |
| 1WT Standard | L20 Vortec | V8 | 4.8L/293 | SFI | Automatic MXO/MYD | Automatic HD 6-speed | GU6 | 3.42 |
| 1WT Optional | L96 Vortec | V8 | 6.0L/366 | SFI FlexFuel | Automatic MXO/MYD | Automatic HD 6-speed | GU6 | 3.42 |
| 1WT Optional | LC8 Vortec | V8 | 6.0L/366 | SFI Gaseous | Automatic MXO/MYD | Automatic HD 6-speed | GU6 | 3.42 |
| 1SD Standard | LGH Duramax | V8 | 6.6L/403 | Turbo diesel | Automatic MXO/MYD | Automatic HD 6-speed | GHO | 3.54 |

## AUTOMATIC TRANSMISSION RATINGS

| | (L20) Vortec 4.8L V8 SFI | | (L96) Vortec 6.0L V8 FlexFuel | | (LGH) Duramax 6.6L V8 Turbo Diesel | | (LC8) 6.0L V8 SFI Gaseous | |
|---|---|---|---|---|---|---|---|---|
| MODEL | AXLE RATIO | Maximum Trailer Weight lbs. (kg) | AXLE RATIO | Maximum Trailer Weight lbs. (kg) | AXLE RATIO | Maximum Trailer Weight lbs. (kg) | AXLE RATIO | Maximum Trailer Weight lbs. (kg) |
| CG23405 | 3.42 | 7400 (3357) | 3.42 | 10000 (4536) | 3.54 | 10000 (4536) | 3.42 | 9900 (4491) |
| CG23705 | 3.42 | 7200 (3266) | 3.42 | 10000 (4536) | 3.54 | 10000 (4536) | 3.42 | 9700 (4400) |
| CG33405 | 3.42 | 7400 (3357) | 3.42 | 10000 (4536) | 3.54 | 10000 (4536) | 3.42 | 9800 (4445) |
| CG33705 | 3.42 | 7100 (3221) | 3.42 | 10000 (4536) | 3.54 | 10000 (4536) | 3.42 | 9600 (4355 |

## GCWR For Engine/Rear Axle Ratio Combination

| | (GCWR) Gross Combination Weight Ratings lbs. (kg) | | | |
|---|---|---|---|---|
| | 14,600 (6623) | 16000 (7258) | 17000 (7711) | 18500 (8392 |
| (L20) Vortec 4.8L V8 SFI | 3.42 | | | |
| (L96) Vortec 6.0L V8 FlexFuel | | 3.42 | | |
| (LGH) Duramax 6.6L V8 Turbo Diesel | | | 3.54 | 3.52 |
| (LC8) 6.0L V8 SFI Gaseous | | 3.42 | | |

## EMISSIONS - MUST BE SPECIFIED

FE9 **EMISSIONS**, Federal requirements

NE1 **EMISSIONS, CONNECTICUT**, Connecticut, Delaware, Maine, Maryland, Massachusetts, New Jersey, New York, Oregon, Pennsylvania, Rhode Island, Vermont and Washington state requirements

NB8 **EMISSIONS OVERRIDE**, California (allows a dealer in states that require California emissions - California, Connecticut, Delaware, Maryland, Massachusetts, New Jersey, New York, Oregon, Pennsylvania, Rhode Island or Washington - to order Federal emissions for a vehicle that will be registered in a state that has Federal emission requirements). Do not use for vehicles that will be registered in California, Connecticut, Delaware, Maryland, Massachusetts, New Jersey, New York, Oregon, Pennsylvania, Rhode Island or Washington. **Requires (FE9) Federal emissions requirements. Not available in Maine or Vermont.**

NB9 **EMISSIONS OVERRIDE**, State-specific (for dealers ordering vehicles in (YF5) or (NE1) emission states - California, Connecticut, Delaware, Maine, Maryland, Massachusetts, New Jersey, New York, Oregon, Pennsylvania, Rhode Island, Vermont and Washington) **Allows a California dealer (YF5 emissions) to order (NE1) emissions with (NB9) emissions override code for registration in (NE1) states; or, a Connecticut, Delaware, Maine, Maryland, Massachusetts, New Jersey, New York, Oregon, Pennsylvania, Rhode Island, Vermont and Washington dealer (NE1 emissions) to order (YF5) emissions with (NB9) emissions override code for registration in California.**

NC7 **EMISSIONS OVERRIDE**, Federal (for vehicles ordered by dealers in Federal emission states with (YF5) or (NE1) emissions - Not required for vehicles being shipped to California, Connecticut, Delaware, Maine, Maryland, Massachusetts, New Jersey, New York, Oregon, Pennsylvania, Rhode Island, Vermont or Washington) **Requires (YF5) California state emissions requirements or (NE1) Connecticut, Delaware, Maine, Maryland, Massachusetts, New Jersey, New York, Oregon, Pennsylvania, Rhode Island, Vermont or Washington state emissions requirements.**

YF5 **EMISSIONS**, California state requirements

## DIMENSIONS







135″ Regular Wheelbase G2500 Shown



# SPECIFICATIONS

## GENERAL

Model G2500 Regular Wheelbase RWD (CG23405)
Model G2500 Extended Wheelbase RWD (CG23705)
Model G3500 Regular Wheelbase RWD (CG33405)
Model G3500 Extended Wheelbase RWD (CG33705)
Projected top speed on all Express Cargo Van models is 98 mph. (Includes CNG Model)[1]

| ENGINE | CG23405 G2500 Regular Wheelbase RWD 1WT STD | CG23705 G2500 Extended Wheelbase RWD 1WT OPT | CG33405 G3500 Regular Wheelbase RWD 1WT OPT | CG33705 G3500 Extended Wheelbase RWD 1SD STD |
|---|---|---|---|---|
| Type | Vortec V8 (L20) | Vortec V8 (L96) | Vortec V8 (LC8) | Duramax V8 (LGH) |
| Fuel | GAS | GAS | CNG Option FHZ | Ultra-low sulfur diesel & B20 Biodiesel |
| Displacement: liters/cu. in. | 4.8/293 | 6.0/366 | 6.0/366 | 6.6/403 |
| Horsepower/rpm | 285@5400 | 342 @ 5400 | 282 @ 4800 | 260 @ 3100 |
| Torque lb.-ft./rpm | 295@4600 | 373 @ 4400 | 320 @ 4400 | 525 @ 1600 |
| Fuel system | SFI | SFI | SFI | Turbo Diesel |
| Compression ratio | 8.8:1 | 9.7:1 | 9.7:1 | 16.0:1 |
| Exhaust | Single | Single | Single | Single |
| Minimum recommended fuel octane | 87 | 87 | CNG | – |
| Fuel tank capacity (gallons/liters) | 31/117.3 | 31/117.3 | 3 or 4 tank | 31/117.3 |

## TRANSMISSION

| | | | | |
|---|---|---|---|---|
| Automatic heavy-duty | 6-speed | 6-speed | 6-speed | 6-speed |

## AXLE

| | | | | |
|---|---|---|---|---|
| Ratio | 3.42 | 3.42 | 3.42 | 3.54 |

## CHASSIS

| | | | | |
|---|---|---|---|---|
| Frame | Full length boxed frame | Full length boxed frame | Full length boxed frame | Full length boxed frame |
| Front suspension | Independent with coil spring and stabilizer bar | Independent with coil spring and stabilizer bar | Independent with coil spring and stabilizer bar | Independent with coil spring and stabilizer bar |
| Rear suspension | Hypoid driver axle w/multi-leaf springs | Hypoid driver axle w/multi-leaf springs | Hypoid driver axle w/multi-leaf springs | Hypoid driver axle w/multi-leaf springs |
| Steering type | Speed sensitive (EVO), variable ratio, integral power | Speed sensitive (EVO), variable ratio, integral power | Speed sensitive (EVO), variable ratio, integral power | Speed sensitive (EVO), variable ratio, integral power, |
| Steering ratio (center/stop) | 17.2:1 | 17.2:1 | 17.2:1 | 17.2:1 |

## BRAKES

| | | | | |
|---|---|---|---|---|
| ABS hydra-boost | Disc/Disc | Disc/Disc | Disc/Disc | Disc/Disc |
| Front size | 12.8 x 1.50 | 12.8 x 1.50 | 12.8 x 1.50 | 12.8 x 1.50 |
| Rear size | 13.0 x 1.14 | 13.0 x 1.14 | 13.0 x 1.14 | 13.0 x 1.14 |

## TIRES

| | | | | |
|---|---|---|---|---|
| Type | All-season | All-season | All-season | All-season |
| Size | LT245/75R16 | LT245/75R16 | LT245/75R16 | LT245/75R16 |

## WHEELS

| | | | | |
|---|---|---|---|---|
| Type | Steel | Steel | Steel | Steel |
| Size | 16" x 6.5" | 16" x 6.5" | 16" x 6.5" | 16" x 6.5" |

## BATTERY

| | | | | |
|---|---|---|---|---|
| Type | Maintenance free | Maintenance free | Maintenance free | Maintenance free |
| BCI group size | 78 | 78 | 78 | 78 |
| Volts | 12 | 12 | 12 | 12 |
| Amp hour rating | 69 | 69 | 63 | 63 |
| Cold cranking-amps @ 0°F (-18°C) | 600 | 600 | 600 | Dual 770* |
| Reserve capacity @ 80°F (27°C) | 115 | 115 | 115 | 115 |

## ALTERNATOR

| | | | | |
|---|---|---|---|---|
| Amps | 105 | 105 | 105 | 145 |

***Standard on 2LS with 6.6L Turbo Diesel***

1. Adding non dealer accessories or making modifications to the vehicle can affect vehicle performance, aerodynamics, and overall top speed.

# SPECIFICATIONS

| | CG23405 G2500 Regular Wheelbase RWD | CG23705 G2500 Extended Wheelbase RWD | CG33405 G3500 Regular Wheelbase RWD | CG33705 G3500 Extended Wheelbase RWD |
|---|---|---|---|---|
| **EXTERIOR (in./mm)** | | | | |
| Wheelbase | 135.00/3429 | 155.00/3937 | 135.00/3429 | 155.00/3937 |
| Overall length | 224.10 (5692) | 244.10 (6200) | 224.10 (5692) | 244.10 (6200) |
| Body width | 79.20 (2012) | 79.20 (2012) | 79.20 (2012) | 79.20 (2012) |
| Overall height, at roof | 84.60 (2149) | 84.30 (2141) | 84.50 (2146) | 84.10 (2136) |
| BA Front bumper to axle | 39.70 (1008) | 39.70 (1008) | 39.70 (1008) | 39.70 (1008) |
| Opening height, side door | 47.90 (1217) | 47.90 (1217) | 47.90 (1217) | 47.90 (1217) |
| DH Opening height, rear door | 49.40 (1255) | 49.40 (1255) | 49.40 (1255) | 49.40 (1255) |
| Opening width, sliding side door | 44.10 (1120) | 44.10 (1120) | 44.10 (1120) | 44.10 (1120) |
| DW Opening width, rear door, at beltline | 57.00 (1448) | 57.00 (1448) | 57.00 (1448) | 57.00 (1448) |
| Step up height, front door | 20.30 (516) | 20.30 (516) | 20.30 (516) | 20.30 (516) |
| Step up height, side door | 20.80 (528) | 20.80 (528) | 20.80 (528) | 20.80 (528) |
| GF Ground to top of rear load floor | 27.80 (706) | 27.80 (706) | 27.80 (706) | 27.80 (706) |
| Ground clearance, front | 11.00 (279) | 11.00 (279) | 8.80 (224) | 8.80 (224) |
| Ground clearance, rear | 7.10 (180) | 7.10 (180) | 7.70 (196) | 7.70 (196) |
| Sign panel area, side panel width | 116.50 (2959) | 136.50 (3467) | 116.50 (2959) | 136.50 (3467) |
| Sign panel area, side panel height | 56.70 (1440) | 56.70 (1440) | 56.70 (1440) | 56.70 (1440) |
| Overhang, front | 39.70 (1008) | 39.70 (1008) | 39.70 (1008) | 39.70 (1008) |
| Turning circle (curb to curb) | 49.2/15 | 54.5/16.6 | 49.2/15 | 54.5/16.6 |
| **INTERIOR (in./mm)** | | | | |
| Head room, front | 39.80 (1011) | 39.80 (1011) | 39.80 (1011) | 39.80 (1011) |
| Shoulder room, front | 68.80 (1748) | 68.80 (1748) | 68.80 (1748) | 68.80 (1748) |
| Hip room, front | 65.50 (1664) | 65.50 (1664) | 65.50 (1664) | 65.50 (1664) |
| Leg room, front | 41.30 (1049) | 41.30 (1049) | 41.30 (1049) | 41.30 (1049) |
| Load floor length, to front seat, at floor | 124.60 (3165) | 146.20 (3713) | 124.60 (3165) | 146.20 (3713) |
| Load floor length, to engine cover, at floor | 153.60 (3901) | 173.60 (4409) | 153.60 (3901) | 173.60 (4409) |
| Inside width, between wheelhousing | 52.70 (1339) | 52.70 (1339) | 52.70 (1339) | 52.70 (1339) |
| Cargo area height | 52.90 (1344) | 53.40 (1356) | 52.90 (1344) | 53.40 (1356) |
| **CAPACITY** | | | | |
| Front stabilizer bar diameter, in. (mm) | 1.38 (35) | 1.38 (35) | 1.38 (35) | 1.38 (35) |
| Base curb weight[4], lbs. (kg) | 5331 (2418) | 5565 (2524) | 5458 (2476) | 5679 (2576) |
| Base curb weight[4], lbs. (kg) 3-tank | -- | -- | 5950 (2699) | -- |
| Base curb weight[4], lbs. (kg) 4-tank | -- | -- | 6250 (2835) | -- |
| Cargo vol., reg, w/seats[1], cu. ft. (liters) | 239.7 (6788.3) | -- | 239.7 (6788.3) | -- |
| Cargo vol., reg, w/seats removed1, cu. ft. (liters) | 270.4 (7657.7) | -- | 270.4 (7657.7) | -- |
| Cargo vol., ext, w/seats[1], cu. ft. (liters) | -- | 284.4 (8054.2) | -- | 284.4 (8054.2) |
| Cargo vol., ext, w/seats removed[1], cu. ft. (liters) | -- | 313.9 (8889.6) | -- | 313.9 (8889.6) |
| Payload[5], lbs. (kg) | 3247 (1473) | 3013 (1367) | 4120 (1869) | 3899 (1769) |
| Payload[5], lbs. (kg) 3-tank | -- | -- | 3628 (1646) | -- |
| Payload[5], lbs. (kg) 4-tank | -- | -- | 3328 (1510) | -- |
| Gross Vehicle Weight Rating[3] (GVWR), lbs. (kg) | 8600 (3901) | 8600 (3901) | 9600 (4355) | 9600 (4355) |
| Fuel capacity, approximate, U.S., gallon (liters) | 31 (117) | 31 (117) | 31 (117) | 31 (117) |
| Seating capacity (front/rear) | 2 | 2 | 2 | 2 |
| Front gross axle weight rating (FGAWR) 3-tank | -- | -- | 4300 (1950) | -- |
| Rear gross axle weight rating (RGAWR) 4-tank | -- | -- | 6084 (2760) | -- |

1. Cargo and load capacity limited by weight and distribution.
2. EPA-estimated MPG.
3. Gross Vehicle Weight Rating (GVWR). When properly equipped, includes vehicle, passengers, cargo and equipment.
4. Base curb weight in operational status with 100% fuel, fluids and standard base equipment (excludes optional content)
5. These maximum payload ratings are intended for comparison purposes only. Before you buy a vehicle or use it to haul people or cargo, carefully review the vehicle loading section of the Owner's Manual and check the carrying capacity of your specific vehicle on the label on the inside of the driver's door jamb.

## TOP VIEW OF INSTRUMENT PANEL AND APPROXIMATE DEPLOYMENT AREA OF THE AIRBAG ZONE

OVERHEAD VIEW




Lower instrument panel bolsters are provided to absorb energy during frontal collisions and are designed to limit leg movement to decrease the chance of injury to the driver and front passenger.

## REAR VIEW OF INSTRUMENT PANEL AND APPROXIMATE DEPLOYMENT AREA OF THE AIRBAG ZONE




## RIGHT SIDE VIEW OF INSTRUMENT PANEL AND APPROXIMATE DEPLOYMENT AREA OF THE AIRBAG ZONE



## ROOF-RAIL SIDE IMPACT AIRBAG DEPLOYMENT ZONES - PASSENGER SIDE SHOWN, DRIVER SIDE SIMILAR




**SEAT BACK THORAX AIRBAG ZONE:**
**TOP:** 210 ABOVE FRONT WINDOW BOTTOM
**BOTTOM:** AT TOP OF SEAT CUSHION, FULL DOWN
**REAR:** AT BACK OF A PILLAR, SEAT FULL REAR
**FRONT:** 590MM FORWARD OF REAR MOST SEAT POSTIION

LONG W.B. SHOWN, SHORT W.B. SIMILAR

| AIR BAG ZONE | USAGE | VEHICLE DESCRIPTION |
|---|---|---|
| B | LH/RH | CARGO/WORK VAN (DRIVER/FRONT PASSENGER ONLY |

## ROOF-RAIL SIDE IMPACT AIRBAG DRIVER AND PASSENGER DEPLOYMENT ZONES - VIEW FROM REAR CARGO AREA




1. Roof-rail Airbag Deployment Zone
2, Underside of Headliner
3. Edge of Headliner
4. Inner Pillar Trim
5. Inner Front Door Trim
6. Front Seatback Side Deployment Zone
   H: 520 mm Above Seat Cushion
   W: 180 mm From Door Trim
7. Front Seat Back
8. Seat Centerline
9. Top of Seat Cushion

The driver and passenger seat-mounted side impact airbag deployment zones move up, down, fore, aft, as the seat is adjusted by the occupant. The deployment zones also move as the seatback is reclined and raised.

2016

# EXPRESS VAN PASSENGER

Shown with aftermarket equipment

Shown with aftermarket equipment

# UPDATES FOR 2016

## NEW AVAILABLE FEATURES

- Isolated Auxiliary Battery (TP2)
- 220 Amp Alternator (KW5)
- Front Instrument Panel Routing Grommet (RGI)
- Chevrolet MyLink Radio with Navigation (UI8)
- Rear Vision Camera Display in Rearview Mirror (DRJ)
- Outside Heated Power-Adjustable Mirrors with single pane glass (DEB)

NOTE: This vehicle is not designed nor intended for use in high speed emergency vehicle operations.
Model CG23406 (1LS) RWD Regular Wheelbase 2500 Series, CG33706 (1LS) RWD Extended Wheelbase 3500 Series, CG33406 (1LS) RWD Regular Wheel Base 3500 Series, CG23406 (1LS) RWD Regular Wheelbase 2500 Series (Available in Gas and Gasseou) and Models CG33406 (2LS) RWD Regular Wheel Base 3500 Series, CG33706 (2LS) RWD Extended Wheelbase 3500 Series (Diesel Only)

## STANDARD INTERIOR FEATURES ON EXPRESS PRISONER VAN-1LS/2LS

| | |
|---|---|
| AIR CONDITIONING | Single-zone, manual |
| ASSIST HANDLE | Driver and front passenger |
| CONSOLE | Engine cover with open storage bin |
| CONVENIENCE PACKAGE | Includes power windows and (AU3) power door locks. NOTE: Does not include (ATG) Remote Keyless Entry. Remote Keyless Entry (ATG) must be ordered separately. |
| CUP HOLDERS | Three on engine console cover |
| DEFOGGERS | Front and side windows, (C49) Rear Defogger optional |
| DRIVE INFO. CENTER | Includes fuel range, average speed, oil life, tire pressure monitoring, fuel used, ice warning, engine hours, average fuel economy, tachometer, and maintenance reminders. Compass and outside temperature available if equipped. When (FHZ) Dedicated Compressed Natural Gas (CNG) system is ordered, includes average speed, oil life, tire pressure monitoring, ice warning, engine hours, tachometer and maintenance reminders. Compass and outside temperature available if equipped. |
| FLOOR COVERING | Full-length Black rubberized-vinyl |
| LIGHTING | Interior with 2 dome lights, defeat switch and door handle-activated switches |
| MIRROR | Inside rearview manual day/night |
| ONSTAR[1] | Guidance Plan for 6 months, including Automatic Crash Response, Stolen Vehicle Assistance, Roadside Assistance and Turn-by-Turn Navigation. Visit www.onstar.com for vehicle availability, details and system limitations. Services may vary by model and conditions. |
| POWER OUTLETS | Two auxiliary on engine console with cover 12-volt and 120-volt power outlet |
| RADIO | AM/FM stereo with MP3 player, seek-and-scan, digital clock and 2 front door speakers |
| RESTRAINT SYSTEM[2] | Air bags, head/side-curtain, driver and right front passenger, seat-mounted side-impact and head curtain side-impact, provides coverage for first 3-rows only. Enhanced-technology glass is provided for fourth and fifth rows when equipped with 12- and 15- passenger seating. |
| SEATS, FRONT | Front bucket with vinyl trim and outboard head restraints, includes inboard armrests. When ordering a seating arrangement that includes rear seats, includes rear bench seats with vinyl trim. Head restraints are not available on rear bench seats. |
| SEATS, REAR | 4-passenger seat is a 50/50 split, 2-piece configuration 12-passenger, (2-3-3-4 seating configuration) When ordering a seating arrangement that includes rear seats, includes rear bench seats with vinyl trim. Head restraints are not available on rear bench seats. |
| SPEEDOMETER/CLUSTER | Analog with speedometer, odometer, trip odometer, fuel level, volt meter, engine temperature and oil pressure |
| THEFT DETERRENT | Vehicle theft PASS-Key® III |
| VISORS | Driver and front passenger, Cloth, Padded |
| WARNING TONES | Headlamp on and key-in-ignition |

1. Visit onstar.com for coverage map, details and system limitations. OnStar acts as a link to existing emergency service providers.
2. Always use safety belts and the correct child restraint for your child's age and size, even in vehicles equipped with airbags. Even in vehicles equipped with Passenger Sensing System, children are safer when properly secured in a rear seat in an appropriate infant, child or booster seat. Never place a rear-facing infant restraint in the front seat of any vehicle equipped with an active frontal airbag. See your vehicle Owner Manual and child safety seat instructions for more information.

## STANDARD EXTERIOR FEATURES ON EXPRESS PRISONER VAN-1LS/2LS

| | |
|---|---|
| BUMPER, FRONT | Painted, Black. Deleted when (V37) front and rear chrome bumpers is ordered. |
| BUMPER, REAR | Painted, Black with step pad. Deleted when (V37) front and rear chrome bumpers is ordered. |
| DOOR LOCKS | Power |
| DOOR | Swing-out passenger-side, 60-40 split |
| GLASS | Solar-Ray deep-tinted (all windows except light-tinted glass on windshield and driver- and front passenger-side glass) Enhanced-technology, rearmost side windows. 3-layer special glass is designed to help reduce the risk of ejection during a crash. Standard on CG23406, CG33406, and CG33706 models with 12- and 15- passenger seating. Not required with (ZP8) 8-passenger seating. |
| GLASS BODY PACKAGE | Glass, full-body window package. Includes (A18) swing-out rear cargo door window glass and (A19) swing-out side door window glass. |
| GRILLE | Black composite with single rectangular halogen headlamps |
| HEADLAMPS | Single halogen. Includes Day time running lamps. Altering headlamp assembly is not recommended, General Motors is not responsible for the effects of any modifications. |
| LICENSE PLATE KIT | Front |
| MIRRORS | Outside, rearview, manual, foldaway, Black |
| WINDOWS | Power |
| WINDSHIELD WIPERS | Intermittent wet-arm with pulse washers |

## STANDARD CHASSIS FEATURES ON EXPRESS PRISONER VAN-1LS/2LS

| | |
|---|---|
| ALTERNATOR | 105 amps. 145 amp is standard when (C69) rear air conditioning is ordered. Rear air is ordered standard on long wheel base models. |
| AXLE | 3.42 Axle ratio (3.54 Axle ratio with Duramax diesel engine) |
| BATTERY | 600 cold-cranking amps, maintenance-free with rundown protection and retained accessory power. (Dual heavy-duty 770 cold-cranking amps, maintenance-free with rundown protection and retained accessory power standard with Duramax diesel engine) |
| BRAKES | 4-wheel antilock, 4-wheel disc |
| ENGINE | Vortec V8, 4.8L with SFI. For engine availability and engine specifications see powertrain |
| EXHAUST | Aluminized stainless-steel muffler and tailpipe |
| FUEL TANK CAPACITY | 31 gallon (117.3 liters) |
| GVWR | 8600 lbs. (3901 kg) Standard on CG23406 model. 9600 lbs. (4354 kg) Standard on CG33406 and CG33706 models. 9900 lbs. (4490 kg) Standard on CG33706 Models. |
| MONITOR | Oil life |
| OIL COOLER | External transmission |
| STABILITRAK | Traction assistance and vehicle stability enhancement system |
| STEERING | Power |
| SUSPENSION, FRONT | Independent with coil spring and stabilizer bar |
| SUSPENSION, REAR | Hypoid drive axle with multi-leaf springs |
| TIRES | LT245/75R16E all-seasonal, blackwall, with full size spare tire |
| TIRE PRESSURE MONITOR | Does not apply to spare tire |
| TOW/HAUL MODE | Tow/haul mode selector mounted on instrument panel |
| TRANSMISSION | 6-speed automatic, heavy-duty, electronically controlled with overdrive and tow/haul mode and internal transmission oil cooler |
| WARRANTY | See warranty and maintenance section |
| WHEELS | Steel, 16 inch x 6.5 inch, includes Gray center caps and steel spare |

## AVAILABLE EXTERIOR COLORS *Actual colors may vary*

| GAN | G7J | GBV | GBA | GAZ | G7C | 86U |
|---|---|---|---|---|---|---|
| *Silver Ice Metallic | *** Rainforest Green Metallic | *Cyber Gray Metallic | **Black | Summit White | **Red Hot | **Wheatland Yellow |

*Additional charge ** Not available with B46 rear body-colored trim *** Additional charge. Not available with B46 rear body colored trim Actual colors may vary

## SEO PAINT AVAILABLE

| COLOR DESCRIPTION | SEO CODE | WA# |
|---|---|---|
| Yellow | – | 215D |
| Yellow | – | 259L |
| Blue | – | 451N |
| Yellow | – | 478G |
| Dark Blue Metallic | – | 722J |
| Sheer Silver Metallic | – | 726S |
| Bronzemist | – | 529F |
| Yellow | – | 5456 |
| Green | – | 7927 |
| Silver Metallic | – | 8867 |
| Woodland Green | 9V5 | 9015 |
| Doeskin Tan | 9V9 | 9403 |
| Yellow | – | 9414 |
| Tangier Orange | 9W4 | 9417 |
| Inca Gold | – | 7952 |
| Dark Toreador Red | – | 257C |
| Silver Birch Metallic | – | 926L |
| Victory Red | – | 9260 |

Actual Color May Vary

NOTE:
- SEO paint orders that contain less than five vehicles will be delayed until five unit minimum is received for batch production
- Exterior SEO solid paints are not available with (B46) Trim, rear body-colored halo.
- All extraneous body components formerly color-keyed to body color, will be flat Black.

## SEATS

| | FRONT SEAT TYPE | SEAT CODE | SEAT TRIM | COLOR | COLOR CODE |
|---|---|---|---|---|---|
| Standard | Reclining high-back buckets with inboard armrests | AR7 | Custom Vinyl | Medium Pewter | 93W |
| | **REAR SEAT TYPE** | **SEAT CODE** | **SEAT TRIM** | **COLOR** | **COLOR CODE** |
| Standard | 12-passenger , (2-3-3-4 seating configuration), 4-passenger seat is 50/50 split, 2 piece configuration | ZX5 | Custom Vinyl | Medium Pewter | 93W |

***NOTE: For optional front seat and rear seat availability see Interior optional equipment pages***

# OPTIONAL EQUIPMENT & FEATURES

## INTERIOR

| | |
|---|---|
| C69 | **AIR CONDITIONING, REAR** - Requires TR9 auxiliary lamps, includes C36 rear heater, U80 digital compass and KG3 145-amp alternator. Standard on 'LT' models |
| U0H | **AUDIO SYSTEM** - AM/FM stereo with MP3 player and USB port, includes seek-and-scan, digital clock, TheftLock, random select, auxiliary jacks and 2 front door speakers |
| US8 | **AUDIO SYSTEM** - AM/FM stereo with CD/MP3 player, Seek-and-scan, digital clock, auto-tone control, Radio Data System (RDS), TheftLock, random select, auxiliary jack, 2 front door speakers, 2 rear door speakers, and 2 in the sound bar. |
| U18 | **AUDIO SYSTEM** - Chevrolet MyLink radio with Navigation, 6.5" diagonal color touch-screen display, AM/FM stereo with CD player, includes Bluetooth streaming audio for music and select phones; Hands-Free smartphone integration with Pandora and Stitcher; voice-activated technology for radio and phone. Not available with (U2K) SiriusXM Satellite Radio |
| UXZ | **AUDIO SYSTEM** - Radio provisions only. Includes alarm warning chimes, radio wiring harness, radio antenna and 2 front door speakers |
| U0H | **AUDIO SYSTEM** - AM/FM stereo with MP3 player and USB port, includes seek-and-scan, digital clock, TheftLock, random select, auxiliary jack and 2 front door speakers. Not available with (NP5) leather wrapped steering wheel. |
| UPF | **BLUETOOTH FOR PHONE**[1] -Requires (NP5) leather-wrapped steering wheel, (W1Y) steering wheel controls and (ZQ3) Convenience Package. Included with (UI8) Chevrolet MyLink radio with Navigation. With (U0F) AM/FM stereo with MP3 player, (U0H) AM/FM stereo with MP3 player and USB port or (US8) AM/FM stereo with MP3 compatible CD player requires (UE1) OnStar hardware (subscription to OnStar services not required for operation). NOTE: With (UI8) Chevrolet MyLink radio with Navigation (UE1) OnStar hardware is not required. |
| U80 | **COMPASS** - 8-point digital located in the Driver Information Center, included and only available with C69 rear air conditioning. |
| BA3 | **CONSOLE** - Deluxe with swing-out storage bin. Included and only available with (AS5) front bucket seats with custom cloth |
| ZQ3 | **CONVENIENCE PACKAGE** - Tilt-wheel and cruise control. Standard on 'LT' models |
| K34 | **CRUISE CONTROL** - Included and only available with ZQ3 Convenience Package, tilt-wheel and cruise control. |
| C49 | **DEFOGGER** - Rear window, electric |
| B30 | **FLOOR COVERING** - Full-floor color-keyed carpeting with front and rear rubberized-vinyl floor mats |
| C36 | **HEATER** - Rear auxiliary. Included with (C69) rear air conditioning. Standard on CG33706 |
| UF3 | **HIGH IDLE SWITCH** - Requires *G33*06, L96 Vortec 6.0L V8 SFI or 6.6L V8 L6H diesel engine and ZQ3 Convenience Package. |
| TR9 | **LIGHTING** - Auxiliary with reading and underhood lights. Includes (U80) 8-point digital compass. Included with (PCR) Express Access Plus Package or (ZP6) Express Crew Van Package when ordered with CG23705 or CG33705 models. |
| D31 | **MIRROR** - Inside rearview manual day/night. Available with (UVC) Rear Vision Camera only when (UI8) Chevrolet MyLink radio is ordered. |
| DRJ | **MIRROR** - Inside rearview, includes Rear Vision Camera Display, Not available with (UI8) Chevrolet MyLink radio with Navigation |
| UE0 | **ONSTAR DELETE** - Only available on Fleet or Government order types. Not available for (FDR) Fleet Daily Rental order types. |
| ROV | **ONSTAR** – With 4G LTE for Fleet (12GB/12 months) provides a built-in Wi-Fi hotspot to connect to the internet at 4G LTE speeds, includes AT&T 12GB data plan good for 12 months. Requires (UE1) OnStar and (VV4) OnStar with 4G LTE and one of the following order types FLS, FNR, FRC, FBC, FGO or FEF. Not available with ROW. Visit www.onstar.com for vehicle availability, details and system limitations. Services and connectivity may vary by model and conditions. 4G LTE service available in select markets. 4G LTE performance based on industry averages and vehicle systems design. Some services require data plan. |
| ROW | **ONSTAR** - With 4G LTE for Fleet (24GB/24 months) provides a built-in Wi-Fi hotspot to connect to the internet at 4G LTE speeds, includes AT&T 24GB data plan good for 24 months. Requires (UE1) OnStar and (VV4) OnStar with 4G LTE and one of the following order types: FLS, FNR, FRC, FBC, FGO or FEF. Not available with ROV. Visit www.onstar.com for vehicle availability, details and system limitations. Services and connectivity may vary by model and conditions. 4G LTE service available in select markets. 4G LTE performance based on industry averages and vehicle systems design. Some services require data plan. |

1. Go to gm.com/bluetooth to find out which Bluetooth phones are compatible with the vehicle.
2. E85 is 85% ethanol and 15% gasoline.

# OPTIONAL EQUIPMENT & FEATURES

## INTERIOR CONTINUED

| | |
|---|---|
| UFA | **OUTSIDE TEMPERATURE DISPLAY** - Located in the Driver Information Center. Requires (ZR7) Chrome Appearance Package. |
| RGI | **ROUTING GROMMET** - Front instrument panel. Provides an area for putting wires thru the front of dash. Not available with RPO (9L7) 2-30 amp wire leads |
| AG1 | **SEAT ADJUSTER** - Driver 6-way power. Requires (AS5) front bucket with Custom Cloth trim. |
| AG2 | **SEAT ADJUSTER** - Front passenger 6-way power. Requires (AS5) front bucket seats with Custom Cloth trim and (AG1) 6-way power driver seat adjuster. |
| ZP3 | **SEATS** - 15-passenger seating (2/3/3/3/4 seating configuration) |
| AS5 | **SEATS** - Front bucket with custom cloth trim, head restraints and inboard armrests, requires (93G) Medium Pewter interior trim. When ordering a seating arrangement that includes rear seats, includes rear bench seats with custom cloth trim. Head restraints are not available on rear bench seats |
| 5T5 | **SEATS, FRONT CUSTOM CLOTH BUCKETS WITH VINYL REAR SEATS** - Fleet Option Provides cloth front bucket seats and retains the standard vinyl rear bench seats Requires model *G33706, interior trim code (93W) Medium Pewter. Standard 12-passenger seating, RPO (ZP3) 15-passenger seating. Requires a Fleet or Government order type. SEO (5T5) will convert front seat to cloth. |
| ZX2 | **SEAT, REAR DELETE** - Upfitter Option Deletes all of the bench seats and seat tracks behind the driver and passenger front bucket seats. Deletes rear floor carpeting and rear shoulder belts. Deletes seat anchor slots, provides ship loose jack and tool package. Provides an incomplete vehicle document and a bus VIN identification Requires a Fleet/ Government/Upfitter order type. Not available with SEO (5B8) vinyl floor covering. |
| 8V5 | **SEATING** - 10-passenger with driver seat only Deletes the front passenger bucket seat. Provides a 3-passenger rear bench seat in lieu of the standard 4-passenger. Provides a multipurpose vehicle identification Requires model *G33706 and RPO (L20) Vortec 4.8L V8 SFI FlexFuel engine or (L96) Vortec 6.0L V8 SFI FlexFuel engine. Not available with RPO (B30) full-floor color-keyed carpeting or RPO (YA2) sliding door. |
| 9J6 | **STEERING COLUMN** - Tilt Steering column without cruise control. Not available with RPO (ZQ3) Convenience Package, RPO (K34) cruse control, RPO (UF3) high idle switch. |
| NP5 | **STEERING WHEEL- LEATER WRAPPED** - Requires (ZQ3) Tilt-Wheel and cruise control Convenience Package and (U0F) AM/FM stereo with MP3 player, (U0H) AM/FM stereo with MP3 player and USB port, (US8) AM/FM stereo with CD/MP3 player or (UI8) Chevrolet MyLink radio with Navigation. |
| U2K | **SIRIUSXM SATELLITE RADIO** - Enjoy a 3-month All Access trial subscription with over 150 channels including commercial-free music, plus sports, news and entertainment. Plus you can listen to SiriusXM Internet Radio everywhere on your computer, smartphone or tablet. Welcome to the world of SiriusXM. Included and only available with the combination of (UE1) OnStar and (US8) AM/FM stereo with MP3 compatible CD player or (UYS) AM/FM stereo with MP3 package is not provided on vehicles that are ordered for Fleet Daily Rental ("FDR") use. If you decide to continue listening after your trial, the subscription plan you choose will automatically renew and you will be charged according to your chosen payment method at then-current rates. Fees and taxes apply. To cancel you must call us at 1-866-635-2349. See our Customer Agreement for complete terms at www.siriusxm.com. All fees and programming subject to change. |
| DT4 | **SMOKER'S PACKAGE** - Includes ash tray and lighter |
| 9J6 | **STEERING COLUMN TILT** - Tilt-steering column without cruise control. Not available with model *G33*06, RPO (UF3) High Idle Switch or RPO (ZQ3) Convenience Package. |
| UBS | **NAVTRAFFIC** - Avoid congestion before you reach it by enhancing your vehicle's navigation or entertainment system with NavTraffic. With detailed information on traffic speed, accidents, construction, road closures and more, you will get to your destination faster and more easily than ever before. Included and only available with (UI8) Chevrolet MyLink radio with navigation. SiriusXM Satellite Radio and NavTraffic subscriptions are sold separately or as a package after trial period. If you decide to continue service after your trial, the subscription plan you choose will automatically renew thereafter and you will be charged according to your chosen payment method at then-current rates. Fees and taxes apply. To cancel you must call us at 1-866-635-2349. See our Customer Agreement for complete terms at www.siriusxm.com. All fees and programming subject to change. NavTraffic available only in select markets. For more information, see ww.siriusxm.com/navtraffic. |

# OPTIONAL EQUIPMENT & FEATURES

## EXTERIOR

| | |
|---|---|
| G7K | **ANTENNA EQUIPMENT** - Includes additional antenna, cable and ground plate. Provides additional ability to relocate standard OnStar antenna, cable length 25 ft. Ships loose. Requires (UE1) OnStar. |
| V37 | **BUMPERS** - Front and rear chrome with step pad (included with ZR7 Chrome Appearance Package) |
| ZR7 | **CHROME APPEARANCE PACKAGE** - Includes V37 front and rear chrome bumpers with step-pad and V22 chrome grille with dual composite halogen headlamps |
| YA2 | **DOOR** - Sliding passenger, side (requires C69 rear air conditioning) |
| V22 | **GRILLE** - Chrome with dual composite halogen headlamps (included and only available with ZR7 Chrome Appearance Package) |
| U05 | **HORN** - Dual-note high and low |
| 5X8 | **KEY** - unique side cargo and rear door Unique key for side and rear cargo doors, separate from driver ignition and door key. 1 - Not available with RPO (5H1) key equipment. |
| 5H1 | **KEY EQUIPMENT** -Two additional keys for single key system. Provides two additional spare keys for a total of (4). (Keys will be cut but not programmed). NOTE: programming of keys is at customer's expense. Programming keys is not a warranty expense. Not available with SEO (5X8) side cargo and rear door key. |
| 8X1 | **LABEL** - fasten safety belts "Fasten Safety Belts" reminder label on front driver and passenger door window glass |
| TR9 | **LIGHTING** - Auxiliary with reading and underhood light, requires C69 rear air conditioning. Includes DH6 driver and front passenger visor vanity mirrors |
| DE5 | **MIRRORS** - Outside, left hand and right hand, remote control electric, manual foldaway with defog feature (requires ZQ2) |
| DRJ | **MIRRORS** - Inside rearview, includes Rear Vision Camera display Not available with (UI8) Color Touch Navigation radio with IntelliLink or (UXZ) radio provisions only |
| VXW | **MOLDED ASSIST STEPS** - Dealer Installed |
| 5H3 | **ORNAMENTATION** - Exterior Delete. Deletes all exterior ornamentation on rear doors |
| 5H3 | **ORNAMENTATION** - Exterior Delete Deletes all exterior ornamentation on rear doors |
| TGK | **PAINT, SPECIAL** - Solid, one color All normally body colored non-sheet metal parts will be flat Black. 1 - Required with any SEO paint selection. Not available with RPO (B46) rear body-colored halo trim. May require extended lead time. |
| 9V9 | **PAINTS, SOLID, DOESKIN TAN** - All extraneous body components formerly color-keyed to body color, will be flat Black with SEO paint Requires SEO (TGK) Solid paint, one color. Not available with RPO (B46) rear body-colored halo trim. May require extended lead time. |
| 9W4 | **PAINTS, SOLID, TANGIER ORANGE** - All extraneous body components formerly color-keyed to body color, will be flat Black with SEO paint Requires SEO (TGK) Solid paint, one color. Not available with RPO (B46) rear body-colored halo trim. May require extended lead time. |
| 9V5 | **PAINTS, SOLID, WOODLAND GREEN** - All extraneous body components formerly color-keyed to body color, will be flat Black with SEO paint Requires SEO (TGK) Solid paint, one color. Not available with RPO (B46) rear body-colored halo trim. May require extended lead time. |
| UD7 | **REAR PARK ASSIST** - Not available with (UOH) AM/FM stereo with MP3 player and USB port. |
| UVC | **REAR VISION CAMERA** - Display included with (DRJ) inside rearview mirror. Display integrated into navigation screen when (UI8) Chevrolet MyLink radio with navigation is ordered. |
| E48 | **RADIATOR GRILLE COVER** - Requires (LGH) Duramax 6.6L V8 Turbo Diesel engine. Ships loose in cab. Required on orders with "Ship To" locations within the following states: Maine, New Hampshire, Vermont, Minnesota, North Dakota, South Dakota, Montana, Alaska, Idaho, Wisconsin, Wyoming, Michigan, Colorado and New York. |
| ATG | **REMOTE KEYLESS ENTRY** - Includes 2 transmitters and remote panic button |
| BTV | **REMOTE VEHICLE STARTER SYSTEM**- Includes remote keyless entry, 2 transmitters (requires ATG) |
| B46 | **TRIM** - Rear body-colored halo (replaces standard Black panel located above rear cargo doors). Not available with (GBA) Black or (G7C) Red Hot, (86U) Wheatland Yellow or (TGK) SEO solid paint. These colors will receive a Black halo. |
| R8J | **WINDOWS** - Power, delete. Deletes power windows from the (ZQ2) Convenience Package. (AU3) Power door locks remain. Not available with (DE5) outside heated power-adjustable, Black mirrors. |

# OPTIONAL EQUIPMENT & FEATURES

## ELECTRICAL

| | |
|---|---|
| UY7 | **TRAILER WIRING** - 7-pin sealed connector. Included with (Z82) heavy-duty trailering equipment. |

## CHASSIS

| | |
|---|---|
| 9G3 | **ALL TERRAIN PACKAGE** - Includes (XIW/YIW) LT245/75R16E all-terrain tires. Requires CG23406 model. |
| KG3 | **ALTERNATOR, 145-AMPS** - Included with C69 rear air conditioning. |
| KW5 | **ALTERNATOR** - 220 amps |
| K5Z | **AUXILIARY BATTERY TRAY** - Requires (L20) Vortec 4.8L V8 SFI FlexFuel engine or (L96) Vortec 6.0L V8 SFI FlexFuel engine. |
| 6AQ | **BATTERIES** - Dual 770 cold-cranking amps Includes (KW1) 160 amp alternator, auxiliary battery tray and wiring. Requires model CG33706 and (L20) Vortec 4.8L V8 SFI FlexFuel engine or (L96) Vortec 6.0L V8 SFI FlexFuel engine. |
| UA1 | **BATTERY** - Heavy-duty 770 cold-cranking amps, maintenance-free with rundown protection and retained accessory power |
| TP2 | **BATTERY** - 600 CCA main battery, 770CCA aux battery, isolated 2nd, allows 2nd battery to be used when the vehicle is not running without affecting ability to start the vehicle. Not available with (LC8) Gaseous 6.0L V8 SFI engine. |
| V10 | **COLD CLIMATE PACKAGE** - Includes (K05) engine block heater and (K08) auxiliary heat generator) |
| FHZ | **DEDICATED COMPRESSED NATURAL GAS (CNG) SYSTEM** - Complete vehicle and system ready. Requires (LC8) Gaseous 6.0L V8 SFI engine, (V10) Cold Climate Package and (Z82) trailering equipment. Includes (ZX9) spare tire delete and (UFM) 3-tank configuration fuel system. |
| G80 | **DIFFERENTIAL** - Heavy-duty locking rear |
| L96 | **ENGINE** - Vortec 6.0L V8 SFI FlexFuel[2] (342 hp @ 5400 rpm, 373 lb-ft of torque @ 4400 rpm, Includes external engine oil cooler. |
| LC8 | **ENGINE** - Vortec 6.0L V8 SFI Gaseous (282 hp @ 4700 rpm, 320 lb-ft of torque @ 4400) with hardened valves and valve seat. Requires (FHZ) Dedicated Compressed Natural Gas (CNG) system. Includes external engine oil cooler. |
| K05 | **ENGINE BLOCK HEATER[2]** - Included and only available with V10 Cold Climate Package which requires L96 Vortec 6.0L V8 SFI FlexFuel engine |
| R9Y | **FLEET FREE MAINTENANCE CREDIT** - This option code provides a credit in lieu of the free oil changes, tire rotations and inspections (2 maximum), during the first 24 months and 24,000 miles period for this ordered vehicle. The invoice will detail the applicable credit. The Customer will be responsible for all oil changes, tire rotations and inspections cost for this vehicle. NOTE: Dealer is unable to credit customer on vehicles not originally ordered with (R9Y) option. |
| 8E1 | **FUEL, ADDITIONAL 3-GALLONS** - 3 gallons of fuel in addition to normal assembly plant fill |
| UFM | **FUEL TANK** - 3-tank configuration fuel system. Requires (FHZ) Dedicated Compressed Natural Gas (CNG) system. All tanks are mounted under body. |
| 9C2 | **GOVERNOR** - Electronic speed sensor set to 65 MPH. Electronic software to facilitate 65-MPH maximum road speed with gasoline engine. Requires a Fleet order. Not available with (K34) cruise control. |
| K08 | **HEAT GENERATOR** - Auxiliary-fuel-operated supplemental heat source to cooling system to improve heat out put (included with V10 and LGH Duramax 6.6L turbo diesel) |
| UF3 | **HIGH IDLE SWITCH** - Requires (L96) Vortec 6.0L V8 SFI FlexFuel engine or (LC8) Gaseous 6.0L V8 SFI engine and (ZQ3) Convenience Package. Requires (ZQ3) Convenience Package. |
| 5Z5 | **HUBCAP DELETE** - Deletes gray center caps from standard wheels 1 - Not available with RPO (P03) wheel trim chrome center cap. |
| DEB | **MIRRORS** - Outside heated power-adjustable, Black, manual-folding with single pane glass. Not available with (R6G) air conditioning delete or (R8J) power window delete. |
| RG1 | **ROUTING GROMMET** - Front instrument panel, Provides an area for putting wires thru the front of dash. |
| NP5 | **STEERING WHEEL** - Leather-wrapped. Requires (ZQ3) Tilt-Wheel and cruise control Convenience Package and (US8) AM/FM stereo with CD/MP3 player or (UYS) AM/FM stereo with MP3 compatible CD/DVD player and navigation. Not available with (Y3H) Paratransit Package. Requires (ZQ3) Tilt-Wheel and cruise control Convenience Package and (US8) AM/FM stereo with CD/MP3 player or (UYS) AM/FM stereo with MP3 compatible CD/DVD player and navigation. |
| Q8C | **TIRE VALVE STEM CAPS** - Air thru Air through valve caps on the tire air valves |
| Z82 | **TRAILERING EQUIPMENT** - Heavy-duty, included platform trailer hitch and 7-wire harness |
| DH6 | **VISORS** - Driver and front passenger, padded with cloth trim and dual vanity mirrors, illuminated on passenger-side, included and only available with TR9 auxiliary lamps |
| 40P | **WHEEL FINISH, PAINTED WHITE** - White-painted wheels in lieu of standard Gray-painted wheels |
| P03 | **WHEEL TRIM** - Chrome center cap |
| 5G0 | **WHEELS** - Painted Black in lieu of standard Gray painted wheels 1 - Not available with (P03) wheel trim chrome center cap. |
| DAA | **VISORS** - Driver and front passenger, vinyl in lieu of standard cloth. Not available on CG33706 models. Not available with (DH6) driver and front passenger visors padded with cloth trim or (TR9) auxiliary lighting or (C69) rear air conditioning. |

## POWERTRAIN

| ENGINE | | | | | TRANSMISSION | | AXLE | |
|---|---|---|---|---|---|---|---|---|
| MODEL | CODE | TYPE | DISPLACEMENT LITERS/CU. IN. | FUEL SYSTEM | STANDARD | TYPE | OPTION CODE | RATIO |
| 1LS Standard | L20 Vortec | V8 | 4.8L/293 | SFI | Automatic MXO/MYD | Automatic HD 6-speed | GU6 | 3.42 |
| 1LS Optional | L96 Vortec | V8 | 6.0L/366 | SFI FlexFuel | Automatic MXO/MYD | Automatic HD 6-speed | GU6 | 3.42 |
| 1LS Optional | LC8 Vortec | V8 | 6.0L/366 | SFI Gaseous | Automatic MXO/MYD | Automatic HD 6-speed | GU6 | 3.42 |
| 2LS Standard | LGH Duramax | V8 | 6.6L/403 | Turbo diesel | Automatic MXO/MYD | Automatic HD 6-speed | GH0 | 3.54 |

## AUTOMATIC TRANSMISSION RATINGS

| | (L20) Vortec 4.8L V8 SFI | | (L96) Vortec 6.0L V8 FlexFuel | | (LGH) Duramax 6.6L V8 Turbo Diesel | |
|---|---|---|---|---|---|---|
| MODEL | AXLE RATIO | Maximum Trailer Weight lbs. (kg) | AXLE RATIO | Maximum Trailer Weight lbs. (kg) | TYPE RATIO | Maximum Trailer Weight lbs. (kg) |
| CG23406 | 3.42 | 6700 (3039) | 3.42 | 9800 (4445) | | |
| CG33406 | 3.42 | 6700 (3039) | 3.42 | 9700 (4400) | 3.54 | 10000 (4536) |
| CG33706 | 3.42 | 6400 (2903) | 3.42 | 9300 (4218) | 3.54 | 9700 (4400) |

## GCWR For Engine/Rear Axle Ratio Combination

| | (GCWR) Gross Combination Weight Ratings lbs. (kg) | | |
|---|---|---|---|
| | 14600 (6623) | 16000 (7258) | 17000 (7711) |
| (L20) Vortec 4.8L V8 SFI | 3.42 | | |
| (L96) Vortec 6.0L V8 FlexFuel | | 3.42 | |
| (LGH) Duramax 6.6L V8 Turbo Diesel | | | 3.54 |

## EMISSIONS - MUST BE SPECIFIED

| | |
|---|---|
| FE9 | **EMISSIONS**, Federal requirements |
| NE1 | **EMISSIONS, CONNECTICUT**, Connecticut, Delaware, Maine, Maryland, Massachusetts, New Jersey, New York, Oregon, Pennsylvania, Rhode Island, Vermont and Washington state requirements |
| NB8 | **EMISSIONS OVERRIDE**, California (allows a dealer in states that require California emissions - California, Connecticut, Delaware, Maryland, Massachusetts, New Jersey, New York, Oregon, Pennsylvania, Rhode Island or Washington - to order Federal emissions for a vehicle that will be registered in a state that has Federal emission requirements). Do not use for vehicles that will be registered in California, Connecticut, Delaware, Maryland, Massachusetts, New Jersey, New York, Oregon, Pennsylvania, Rhode Island or Washington. **Requires (FE9) Federal emissions requirements. Not available in Maine or Vermont.** |
| NB9 | **EMISSIONS OVERRIDE**, State-specific (for dealers ordering vehicles in (YF5) or (NE1) emission states - California, Connecticut, Delaware, Maine, Maryland, Massachusetts, New Jersey, New York, Oregon, Pennsylvania, Rhode Island, Vermont and Washington) **Allows a California dealer (YF5 emissions) to order (NE1) emissions with (NB9) emissions override code for registration in (NE1) states; or, a Connecticut, Delaware, Maine, Maryland, Massachusetts, New Jersey, New York, Oregon, Pennsylvania, Rhode Island, Vermont and Washington dealer (NE1 emissions) to order (YF5) emissions with (NB9) emissions override code for registration in California.** |
| NC7 | **EMISSIONS OVERRIDE**, Federal (for vehicles ordered by dealers in Federal emission states with (YF5) or (NE1) emissions - Not required for vehicles being shipped to California, Connecticut, Delaware, Maine, Maryland, Massachusetts, New Jersey, New York, Oregon, Pennsylvania, Rhode Island, Vermont or Washington) **Requires (YF5) California state emissions requirements or (NE1) Connecticut, Delaware, Maine, Maryland, Massachusetts, New Jersey, New York, Oregon, Pennsylvania, Rhode Island, Vermont or Washington state emissions requirements.** |
| YF5 | **EMISSIONS**, California state requirements |

## DIMENSIONS







135″ Regular Wheelbase G2500 Shown



# SPECIFICATIONS

## GENERAL

| | | | | |
|---|---|---|---|---|
| Model CG23406 (1LS) | Rear-wheel | Regular Wheelbase | 2500 Series | (Available in Gas and Gaseous) |
| Model CG33406 (1LS) | Rear-wheel | Regular Wheelbase | 3500 Series | (Available in Gas and Gaseous) |
| Model CG33706 (1LS) | Rear-wheel | Extended Wheelbase | 3500 Series | (Available in Gas and Gaseous) |
| Model CG33406 (2LS) | Rear-wheel | Regular Wheelbase | 3500 Series | (Diesel Only) |
| Model CG33706 (2LS) | Rear-wheel | Extended Wheelbase | 3500 Series | (Diesel Only) |

Projected top speed on all Express Passenger Van models is 98 mph. (Includes CNG Model)[1]

| ENGINE | G2500 REGULAR WHEELBASE 1LS STD | G2500 REGULAR WHEELBASE 1LS OPT | G3500 REGULAR WHEELBASE 1LS OPT | G3500 EXTENDED WHEELBASE 2LS STD |
|---|---|---|---|---|
| Type | Vortec V8 (L20) | Vortec V8 (L96) | Vortec V8 (LC8) | Duramax V8 (LGH) |
| Fuel | GAS | GAS | CNG Option FHZ | Ultra-low sulfur diesel & B20 Biodiesel |
| Displacement: liters/cu. in. | 4.8/293 | 6.0/366 | 6.0/366 | 6.6/403 |
| Horsepower/rpm | 285@5400 | 342 @ 5400 | 282 @ 4800 | 260 @ 3100 |
| Torque lb.-ft./rpm | 295@4600 | 373 @ 4400 | 320 @ 4400 | 525 @ 1600 |
| Fuel system | SFI | SFI | SFI | Turbo Diesel |
| Compression ratio | 8.8:1 | 9.7:1 | 9.7:1 | 16.0:1 |
| Exhaust | Single | Single | Single | Single |
| Minimum recommended fuel octane | 87 | 87 | CNG | – |
| Fuel tank capacity (gallons/liters) | 31/117.3 | 31/117.3 | 3 tank | 31/117.3 |
| **TRANSMISSION** | | | | |
| Automatic heavy-duty | 6-speed | 6-speed | 6-speed | 6-speed |
| **AXLE** | | | | |
| Ratio | 3.42 | 3.42 | 3.42 | 3.54 |
| **CHASSIS** | | | | |
| Frame | Full length boxed frame | Full length boxed frame | Full length boxed frame | Full length boxed frame |
| Front suspension | Independent with coil spring and stabilizer bar | Independent with coil spring and stabilizer bar | Independent with coil spring and stabilizer bar | Independent with coil spring and stabilizer bar |
| Rear suspension | Hypoid driver axle w/multi-leaf springs | Hypoid driver axle w/multi-leaf springs | Hypoid driver axle w/multi-leaf springs | Hypoid driver axle w/multi-leaf springs |
| Steering type | Speed sensitive (EVO), variable ratio, integral power | Speed sensitive (EVO), variable ratio, integral power | Speed sensitive (EVO), variable ratio, integral power | Speed sensitive (EVO), variable ratio, integral power, |
| Steering ratio (center/stop) | 17.2:1 | 17.2:1 | 17.2:1 | 17.2:1 |
| **BRAKES** | | | | |
| ABS hydra-boost | Disc/Disc | Disc/Disc | Disc/Disc | Disc/Disc |
| Front size | 12.8 x 1.50 | 12.8 x 1.50 | 12.8 x 1.50 | 12.8 x 1.50 |
| Rear size | 13.0 x 1.14 | 13.0 x 1.14 | 13.0 x 1.14 | 13.0 x 1.14 |
| **TIRES** | | | | |
| Type | All-season | All-season | All-season | All-season |
| Size | LT245/75R16 | LT245/75R16 | LT245/75R16 | LT245/75R16 |
| **WHEELS** | | | | |
| Type | Steel | Steel | Steel | Steel |
| Size | 16" x 6.5" | 16" x 6.5" | 16" x 6.5" | 16" x 6.5" |
| **BATTERY** | | | | |
| Type | Maintenance free | Maintenance free | Maintenance free | Maintenance free |
| BCI group size | 78 | 78 | 78 | 78 |
| Volts | 12 | 12 | 12 | 12 |
| Amp hour rating | 69 | 69 | 63 | 63 |
| Cold cranking-amps @ 0°F (-18°C) | 600 | 600 | 600 | Dual 770* |
| Reserve capacity @ 80°F (27°C) | 115 | 115 | 115 | 115 |
| **ALTERNATOR** | | | | |
| Amps | 105 | 105 | 105 | 145 |

***Standard on 2LS with 6.6L Turbo Diesel***

1. Adding non dealer accessories or making modifications to the vehicle can affect vehicle performance, aerodynamics, and overall top speed.

# SPECIFICATIONS

| EXTERIOR (in./mm) | G2500 REGULAR WHEELBASE | G3500 REGULAR WHEELBASE | G3500 EXTENDED WHEELBASE |
|---|---|---|---|
| Wheelbase | 135.0/3429 | 135.0/3429 | 155.0/3937 |
| Overall length | 224.1/5692 | 224.1/5692 | 244.1/6200 |
| Body width | 79.2/2013 | 79.2/2013 | 79.2/2013 |
| Overall height | 83.9/2131 | 83.7/2126 | 82.9/2106 |
| Front bumper to axle | 39.7/1008 | 39.7/1008 | 39.7/1008 |
| Opening height, side door | 47.9/1217 | 47.9/1217 | 47.9/1217 |
| Opening height, rear door | 49.4/1255 | 49.4/1255 | 49.4/1255 |
| Opening width, sliding side door | 44.1/1120 | 44.1/1120 | 44.1/1120 |
| Opening width, rear door, at beltline | 57.0/1448 | 57.0/1448 | 57.0/1448 |
| Step up height, front door | 19.4/493 | 19.4/493 | 19.4/493 |
| Step up height, side door | 19.8/503 | 19.8/503 | 19.8/503 |
| Ground clearance, front | 11/279 | 11/279 | 8.8/224 |
| Ground clearance, rear | 7.1/180 | 7.1/180 | 7.7/196 |
| Turning circle (curb to curb) | 49.2/15 | 54.5/16.6 | 49.2/15 |
| **INTERIOR (in./mm)** | | | |
| Head room, 1st row | 39.8/1011 | 39.8/1011 | 39.8/1011 |
| Head room, 2nd row | 38.4/975 | 38.4/975 | 38.4/975 |
| Head room, 3rd row | 38.5/978 | 38.5/978 | 38.5/978 |
| Head room, 4th row | 37.6/955 | 37.6/955 | 37.6/955 |
| Head room, 5th row | – | – | 37.6/955 |
| Shoulder room, 1st row | 68.8/1748 | 68.8/1748 | 68.8/1748 |
| Shoulder room, 2nd row | 68.6/1742 | 68.6/1742 | 68.6/1742 |
| Shoulder room, 3rd row | 65.8/1671 | 65.8/1671 | 65.8/1671 |
| Shoulder room, 4th row | 69.1/1755 | 69.1/1755 | 69.1/1755 |
| Shoulder room, 5th row | – | – | 62.9/1598 |
| Hip room, 1st row | 65.5/1664 | 65.5/1664 | 65.5/1664 |
| Hip room, 2nd row | 68.6/1742 | 65.6/1666 | 65.6/1666 |
| Hip room, 3rd row | 63.3/1608 | 63.3/1608 | 63.3/1608 |
| Hip room, 4th row | 65.7/1669 | 65.7/1669 | 65.7/1669 |
| Hip room, 5th row | – | – | 62.9/1597 |
| Leg room, 1st row | 41.3/1049 | 41.3/1049 | 41.3/1049 |
| Leg room, 2nd row | 36.3/922 | 36.3/922 | 36.3/922 |
| Leg room, 3rd row | 36.6/930 | 36.6/930 | 36.6/930 |
| Leg room, 4th row | 36.6/930 | 36.6/930 | 36.6/930 |
| Leg room, 5th row | – | – | 34.1/866 |
| Ground to top of rear load floor | 27.8/706 | 27.8/706 | 30.1/765 |
| Load floor length, to front seat, at floor | 126.2/3205 | 126.2/3205 | 146.0/3708 |
| Load floor length, to engine cover, at floor | 153.6/3901 | 153.6/3901 | 173.6/4409 |
| Inside width, between wheelhousing | 50.4/1280 | 50.4/1280 | 50.4/1280 |
| Cargo area height | 51.8/1316 | 51.8/1316 | 51.8/1316 |
| **CAPACITY** | | | |
| Base curb weight[4], lbs. (kg) | 5873/2608 | 6809/3088 | 6403/2904 |
| Gross vehicle weight ratings[3] (GVWR), lbs (kg) | 8600/3901 | 9600/4355 | 9600/4355 |
| Payload[5], lbs. (kg) | 2705/1227 | 2766/1255 | 3197/1450 |
| Cargo volume[1], regular, with seats, cu. ft. (liters) | 92.1/2608.3 | 92.1/2608.3 | 127.2/3602.3 |
| Cargo volume[1], regular, with seats removed, cu. ft. (liters) | 216.2/6122.8 | 216.2/6122.8 | 252.8/7159.3 |
| Front Gross Axle Weight Rating (FGAWR), lbs. (kg) | 4100/1860 | 4300/1950 | 4600/2087 |
| Rear Gross Axle Weight Rating (RGAWR), lbs. (kg) | 5360/2431 | 6084/2760 | 6084/2760 |
| Seating capacity (front/2nd/3rd/4th) | 2/3/3/4 | 2/3/3/4 | 2/3/3/4 |

1. Cargo and load capacity limited by weight and distribution.
2. EPA-estimated MPG.
3. Gross Vehicle Weight Rating (GVWR). When properly equipped, includes vehicle, passengers, cargo and equipment.
4. Base curb weight in operational status with 100% fuel, fluids and standard base equipment (excludes optional content)
5. These maximum payload ratings are intended for comparison purposes only. Before you buy a vehicle or use it to haul people or cargo, carefully review the vehicle loading section of the Owner's Manual and check the carrying capacity of your specific vehicle on the label on the inside of the driver's door jamb.

## TOP VIEW OF INSTRUMENT PANEL AND APPROXIMATE DEPLOYMENT AREA OF THE AIRBAG ZONE




Lower instrument panel bolsters are provided to absorb energy during frontal collisions and are designed to limit leg movement to decrease the chance of injury to the driver and front passenger.

## REAR VIEW OF INSTRUMENT PANEL AND APPROXIMATE DEPLOYMENT AREA OF THE AIRBAG ZONE




## RIGHT SIDE VIEW OF INSTRUMENT PANEL AND APPROXIMATE DEPLOYMENT AREA OF THE AIRBAG ZONE



## ROOF-RAIL AND SEAT-MOUNTED SIDE IMPACT AIRBAG DEPLOYMENT ZONES - PASSENGER SIDE SHOWN, DRIVER SIDE SIMILAR


ZONE A
BACK OF C PILLAR
ZONE C
BACK OF B PILLAR
ZONE B
ZONES A, C ROOF RAIL INFLATOR LOCATION
ZONE B ROOF RAIL INFLATOR LOCATION
FRONT OF DOOR MIRROR PATCH
1100mm
1000mm
300mm
UPPER CORNER OF WINDSHIELD
50mm
700mm
SEAT BACK THORAX AIRBAG ZONE:
TOP: 210 ABOVE FRONT WINDOW BOTTOM
BOTTOM: AT TOP OF SEAT CUSHION, FULL DOWN
REAR: AT BACK OF A PILLAR, SEAT FULL REAR
FRONT: 590MM FORWARD OF REAR MOST SEAT POSTIION

LONG W.B. SHOWN, SHORT W.B. SIMILAR

| AIR BAG ZONE | USAGE | VEHICLE DESCRIPTION |
|---|---|---|
| A | LH/RH | PASSENGER VAN WITH RH SIDE 60/40 SWING OUT DOOR |
| A | LH | PASSENGER VAN WITH RH SLIDING DOOR |
| B & C | RH | PASSENGER VAN WITH RH SLIDING DOOR |

## ROOF-RAIL SIDE IMPACT AIRBAG DRIVER AND PASSENGER DEPLOYMENT ZONES - VIEW FROM REAR CARGO AREA




1. Roof-rail Airbag Deployment Zone
2. Underside of Headliner
3. Edge of Headliner
4. Inner Pillar Trim
5. Inner Front Door Trim
6. Front Seatback Side Deployment Zone
   H: 520 mm Above Seat Cushion
   W: 180 mm From Door Trim
7. Front Seat Back
8. Seat Centerline
9. Top of Seat Cushion

The driver and passenger seat-mounted side impact airbag deployment zones move up, down, fore, aft, as the seat is adjusted by the occupant. The deployment zones also move as the seatback is reclined and raised.